WEST VIRGINIA LEGISLATURE

2020 REGULAR SESSION

Engrossed

Senate Bill 847

By Senators Azinger, Baldwin, Clements, Cline,
Hardesty, Jeffries, Lindsay, Maynard,
Pitsenbarger, Romano, Rucker, Smith, Weld,
Woelfel, and Trump

[Originating in the Committee on the Judiciary; reported on February 24, 2020]

- A BILL to amend and reenact §60A-2-204 and §60A-2-212 of the Code of West Virginia, 1931,
- as amended, all relating to updating the controlled substance lists in Schedules I and V.

 Be it enacted by the Legislature of West Virginia:

ARTICLE 2. STANDARDS AND SCHEDULES.

§60A-2-204. Schedule I.

- (a) Schedule I shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation.

 (b) Opiates. —
- 7 Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl) -4-piperidinyl]—
- 8 phenylacetamide);
- Acetylmethadol;
- 10 Allylprodine;
- 11 Alphacetylmethadol (except levoalphacetylmethadol also known as levo-alpha-12 acetylmethadol, levomethadyl acetate, or LAAM);
- 13 Alphameprodine;
- 14 Alphamethadol;
- 15 Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl) ethyl-4-piperidyl] propionanilide;
- 16 1-(1-methyl-2-phenylethyl)-4-([propanilido]piperidine);
- 17 Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl) ethyl- 4-piperidinyl]—
- 18 phenylpropanamide);
- 19 Benzethidine;
- 20 Betacetylmethadol;

21	Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl) -4- piperidinyl]-	N-
22	phenylpropanamide);	
23	Beta-hydroxy-3-methylfentanyl (other name: N-[1-(2- hydroxy-2-phenethyl)-3-methyl-	-4-
24	piperidinyl]-N-phenylpropanamide);	
25	Betameprodine;	
26	Betamethadol;	
27	Betaprodine;	
28	Clonitazene;	
29	Dextromoramide;	
30	Diampromide;	
31	Diethylthiambutene;	
32	Difenoxin;	
33	Dimenoxadol;	
34	Dimepheptanol;	
35	Dimethylthiambutene;	
36	Dioxaphetyl butyrate;	
37	Dipipanone;	
38	Ethylmethylthiambutene;	
39	Etonitazene;	
40	Etoxeridine;	
41	Furethidine;	
42	Hydroxypethidine;	
43	Ketobemidone;	
44	Levomoramide;	
45	Levophenacylmorphan;	
46	3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4- piperidyl]-N-phenylpropanamide);	

47	3-methylthiofentanyl (N-[3-methyl-1-(2-thienyl) ethyl-4- piperidinyl]—phenylpropanamide);
48	Morpheridine;
49	MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
50	N-Methylnorfentanyl (N-(1-Methyl-4-piperidinyl)-N-phenyl-propanamide,
51	monohydrochloride);
52	Norfentanyl (N-Phenyl-N-4-piperidinyl-propanamide);
53	Noracymethadol;
54	Norlevorphanol;
55	Normethadone;
56	Norpipanone;
57	Para-fluorofentanyl (N-[4-fluorophenyl]-N-[1-(2- phenethyl)-4-piperidinyl] propanamide);
58	PEPAP(1-[-2-phenethyl]-4-phenyl-4-acetoxypiperidine);
59	Phenadoxone;
60	Phenampromide;
61	Phenomorphan;
62	Phenoperidine;
63	Piritramide;
64	Proheptazine;
65	Properidine;
66	Propiram;
67	Racemoramide;
68	Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4- piperidinyl]-propanamide);
69	Tilidine;
70	Trimeperidine.
71	(c) Opium derivatives. —
72	Acetorphine;

73	Acetyldihydrocodeine;
74	Benzylmorphine;
75	Codeine methylbromide;
76	Codeine-N-Oxide;
77	Cyprenorphine;
78	Desomorphine;
79	Dihydromorphine;
80	Drotebanol;
81	Etorphine (except HCl Salt);
82	Heroin;
83	Hydromorphinol;
84	Methyldesorphine;
85	Methyldihydromorphine;
86	Morphine methylbromide;
87	Morphine methylsulfonate;
88	Morphine-N-Oxide;
89	Myrophine;
90	Nicocodeine;
91	Nicomorphine;
92	Normorphine;
93	Pholcodine;
94	Thebacon.
95	(d) Hallucinogenic substances. —
96	Alpha-ethyltryptamine; some trade or other names: etryptamine; Monase; alpha-ethy-1H-
97	indole-3-ethanamine; 3-(2-aminobutyl) indole; alpha-ET; and AET;

98	4-bromo-2, 5-dimethoxy-amphetamine; some trade or other names: 4-bromo-2,5-
99	dimethoxy-alpha-methylphenethylamine; 4-bromo- 2,5-DMA;
100	4-Bromo-2,5-dimethoxyphenethylamine; some trade or other names: 2-(4-bromo-2,5-
101	dimethoxyphenyl)-1-aminoethane; alpha-desmethyl DOB; 2C-B, Nexus;
102	N-(2-Methoxybenzyl)-4-bromo-2, 5-dimethoxyphenethylamine. The substance has the
103	acronym 25B-NBOMe.
104	2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25C-NBOMe)
105	2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25I-NBOMe)
106	2,5-dimethoxyamphetamine; some trade or other names: 2,5-dimethoxy-alpha-
107	methylphenethylamine; 2,5-DMA;
108	2,5-dimethoxy-4-ethylamphet-amine; some trade or other names: DOET;
109	2,5-dimethoxy-4-(n)-propylthiophenethylamine (other name: 2C-T-7);
110	4-methoxyamphetamine; some trade or other names: 4-methoxy-alpha-
111	methylphenethylamine; paramethoxyamphetamine; PMA;
112	3-Hydoxy-phencyclidine (other name hydroxy PCP)
113	3-methoxy-phencyclidine (other name: Methoxy PCP);
114	5-methoxy-3, 4-methylenedioxy-amphetamine;
115	4-methyl-2,5-dimethoxy-amphetamine; some trade and other names: 4-methyl-2,5-
116	dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP";
117	3,4-methylenedioxy amphetamine;
118	3,4-methylenedioxymethamphetamine (MDMA);
119	3,4-methylenedioxy-N-ethylamphetamine (also known as (ethyl-alpha-methyl-3,4
120	(methylenedioxy) phenethylamine, N-ethyl MDA, MDE, MDEA);
121	N-hydroxy-3,4-methylenedioxyamphetamine (also known as (hydroxy-alpha-methyl-3,4
122	(methylenedioxy) phenethylamine, and (hydroxy MDA);
123	3,4,5-trimethoxy amphetamine;

24	5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
25	Alpha-methyltryptamine (other name: AMT);
26	Bufotenine; some trade and other names: 3-(beta-Dimethylaminoethyl)-5-hydroxyindole;
27	3-(2-dimethylaminoethyl) -5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N- dimethyltryptamine;
28	mappine;
29	Diethyltryptamine; some trade and other names: N, N-Diethyltryptamine; DET;
30	Dimethyltryptamine; some trade or other names: DMT;
31	5-Methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT);
32	Ibogaine; some trade and other names: 7-Ethyl-6, 6 Beta, 7, 8, 9, 10, 12, 13-octahydro-2-
33	methoxy-6, 9-methano-5H- pyrido [1', 2': 1, 2] azepino [5,4-b] indole; Tabernanthe iboga;
34	Lysergic acid diethylamide;
35	Marihuana Marijuana (Cannabis, sp.);
36	Mescaline;
37	Parahexyl-7374; some trade or other names: 3-Hexyl -1-hydroxy-7, 8, 9, 10-tetrahydro-6,
38	6, 9-trimethyl-6H-dibenzo [b,d] pyran; Synhexyl;
39	Peyote; meaning all parts of the plant presently classified botanically as Lophophora
40	williamsii Lemaire, whether growing or not, the seeds thereof, any extract from any part of such
41	plant, and every compound, manufacture, salts, immediate derivative, mixture, or preparation of
42	such plant, its seeds, or extracts;
43	N-ethyl-3-piperidyl benzilate;
44	N-methyl-3-piperidyl benzilate;
45	Psilocybin;
46	Psilocyn;
47	Tetrahydrocannabinols; synthetic equivalents of the substances contained in the plant, or
48	in the resinous extractives of Cannabis, sp. and/or synthetic substances, immediate derivatives

```
149
       and their isomers with similar chemical structure and pharmacological activity such as the
150
       following:
151
              delta-1 Cis or trans tetrahydrocannabinol, and their optical isomers:
152
              delta-6 Cis or trans tetrahydrocannabinol, and their optical isomers;
153
              delta-3,4 Cis or trans tetrahydrocannabinol, and its optical isomers;
154
              (Since nomenclature of these substances is not internationally standardized, compounds
155
       of these structures, regardless of numerical designation of atomic positions covered.);
156
              Ethylamine analog of phencyclidine; some trade or other names: N-ethyl-1-
157
       phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine,
158
       cyclohexamine, PCE;
159
              Pyrrolidine analog of phencyclidine; some trade or other names: 1-(1-phenylcyclohexyl)-
160
       pyrrolidine, PCPy, PHP;
161
              Thiophene analog of phencyclidine; some trade or other names: 1-[1-(2-thienyl)-
162
       cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine; TPCP, TCP;
163
              1[1-(2-thienyl)cyclohexyl]pyrroldine; some other names: TCPy;
164
              4-methylmethcathinone (Mephedrone);
165
              3,4-methylenedioxypyrovalerone (MDPV);
166
              2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E):
167
              2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);
168
              2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
169
              2-(4-lodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
170
              2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2);
171
              2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);
172
              2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
173
              2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N):
174
              2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
```

175 3.4-Methylenedioxy-N-methylcathinone (Methylone): 176 2,5-dimethoxy-4-(n)-propyltghiophenethylamine (2C-T-7, itsoptical isomers, salts and 177 salts of isomers; 178 5-methoxy-N,N-dimethyltryptamine some trade or other names: 5-methoxy-3-[2-179 (dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); 180 Alpha-methyltryptamine (other name: AMT); 181 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT); 182 Synthetic Cannabinoids as follows: 183 2-[(1R,3S)-3-hydroxycyclohexyl]-5- (2-methyloctan-2-yl)phenol) {also known as CP 184 47,497 and homologues); 185 rel-2-[(1S,3R)-3-hydroxycyclohexyl] -5-(2-methylnonan-2-yl)phenol {also known as CP 186 47,497-C8 homolog}; 187 7,10,10a-[(6aR)-9-(hydroxymethyl)-6, 6-dimethyl-3-(2-methyloctan-2-yl)-6a, 188 tetrahydrobenzo[c]chromen-1-ol)] {also known as HU-210}; 189 (dexanabinol); 190 (6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-191 tetrahydrobenzol[c]chromen-1-ol) {also known as HU-211}; 192 1-Pentyl-3-(1-naphthoyl)indole {also known as JWH-018}: 193 1-Butyl-3-(1-naphthoyl)indole {also known as JWH-073}; 194 (2-methyl-1-propyl-1H-indol-3-yl)-1-napthalenyl-methanone {also known as JWH-015}; 195 (1-hexyl-1H-indol-3-yl)-1-naphthalenyl-methanone {also known as JWH-019}; 196 [1-[2-(4-morpholinyl) ethyl] -1H-indol-3-yl]-1-naphthalenyl-methanone {also known as 197 JWH-200}; 198 1-(1-pentyl-1H-indol-3-yl)-2-(3-hydroxyphenyl)-ethanone {also known as JWH-250}; 2-((1S,2S,5S)-5-hydroxy-2- (3-hydroxtpropyl)cyclohexyl) -5-(2-methyloctan-2-yl)phenol 199 200 {also known as CP 55,940};

```
201
              (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-122};
202
              (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-398;
203
              (4-methoxyphenyl)(1-pentyl-1H-indol-3-yl)methanone {also known as RCS-4};
204
              1-(1-(2-cyclohexylethyl) -1H-indol-3-yl) -2-(2-methoxyphenyl) ethanone {also known as
205
       RCS-8};
206
              1-pentyl-3-[1-(4-methoxynaphthoyl)]indole (JWH-081);
207
              1-(5-fluoropentyl)-3-(1-naphthoyl)indole (AM2201); and
208
              1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole (AM694).
209
              Synthetic cannabinoids:
210
              CP 47,497 AND homologues, 2-[(1R,3S)-3-Hydroxycyclohexyl]-5-(2-methyloctan-2-
211
              YL)phenol);
212
              HU-210, [(6AR,10AR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-Methyloctan-2-YL)-6A,7,10,
213
       10A-tetrahydrobenzo[C] chromen-1-OL)]:
214
              HU-211, (dexanabinol, (6AS,10AS)-9-(hydroxymethyl)-6,6-Dimethyl-3-(2-methyloctan-2-
215
       YL)-6A,7,10,10atetrahydrobenzo[C]chromen-1-OL);
216
              JWH-018, 1-pentyl-3-(1-naphthoyl)indole;
217
              JWH-019, 1-hexyl-3-(1-naphthoyl)indole;
218
              JWH-073, 1-butyl-3-(1-naphthoyl)indole;
219
              JWH-200, (1-(2-morpholin-4-ylethyl)indol-3-yl)- Naphthalen-1-ylmethanone;
220
              JWH-250, 1-pentyl-3-(2-methoxyphenylacetyl)indole.];
221
                      2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate
                                                                                              (5F-
              Methyl
222
       ADB);
223
              Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
224
              Methyl
                       2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate
                                                                                            (FUB-
225
       AMB);
226
              N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA);
```

227 N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide (ADB-FUBINACA); 228 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate 229 Methyl 230 (MDMB-CHMICA); 231 Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate 232 (MDMB-FUBINACA); 233 Tetrahydrocannabinols: 234 DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers. 235 DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers. 236 DELTA-3,4 CIS or their trans tetrahydrocannabinol and their optical isomers. 237 Synthetic Phenethylamines: 238 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25I-NBOMe/ 2C-I-239 NBOMe); 240 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25C-NBOMe/2C-C-241 NBOMe); 242 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25B-NBOMe/ 2C-B-243 NBOMe); 244 Synthetic Opioids (icluding including their isomers, esters, ethers, salts, and salts of 245 isomers, esters, and ethers): 246 N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (acetyl fentanyl); 247 furanyl fentanyl; 248 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also known as U-249 47700); 250 N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, also known N-(1as 251 phenethylpiperidin-4-yl)-N-phenylbutanamide, (butyryl fentanyl);

```
252
              N-[1-[2-hydroxy-2-(thiophen-2-yl)ethylpiperidin-4-yl]-N-phenylpropionamide, also known
253
       as
                 N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide,
                                                                                              (beta-
254
       hydroxythiofentanyl);
255
              N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl);
256
              N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl);
257
              N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl);
258
              2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide
259
       (also known as U-48800);
260
              Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as
261
       U-49900):
262
              Trans-3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methyl-benzeneacetamide
                                                                                               (also
263
       known as U-51754);
              Opioid Receptor Agonist. —
264
265
              AH-7921 (3,4-dichloro-N- (1dimethylamino)cyclohexylmethyl]benzamide).
266
              Naphthoylindoles or any compound containing a 3-(-1- Napthoyl) indole structure with
267
       substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole
       ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall
268
269
       include the following:
270
              JWH 015;
271
              JWH 018;
272
              JWH 019;
273
              JWH 073;
274
              JWH 081;
275
              JWH 122;
276
              JWH 200:
277
              JWH 210;
```

301

JWH 302.

278 JWH 398; 279 AM 2201; 280 WIN 55,212. 281 Naphylmethylindoles or any compound containing a 1hindol-3-yl-(1-naphthyl) methane 282 structure with a substitution at the nitrogen atom of the indole ring whether or not further 283 substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to 284 any extent. This shall include, but not be limited to, JWH 175 and JWH 184. 285 Naphthoylpyrroles or any compound containing a 3-(1- Naphthoyl) pyrrole structure with 286 substitution at the nitrogen atom of the pyrrole ring whether or not further substituted in the pyrrole 287 ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall 288 include, but not be limited to, JWH 147 and JWH 307. 289 Naphthylmethylindenes or any compound containing a Naphthylideneindene structure 290 with substitution at the 3- Position of the indene ring whether or not further substituted in the 291 indene ring to any extent and whether or not substituted in the naphthyl ring to any extent. This 292 shall include, but not be limited to, JWH 176. 293 Phenylacetylindoles or any compound containing a 3- Phenylacetylindole structure with 294 substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole 295 ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include 296 the following: 297 RCS-8, SR-18 OR BTM-8; 298 JWH 250; JWH 203; 299 300 JWH 251;

302	Cyclohexylphenols or any compound containing a 2-(3- hydroxycyclohexyl) phenol		
303	structure with a substitution at the 5-position of the phenolic ring whether or not substituted in the		
304	cyclohexyl ring to any extent. This shall include the following:		
305	CP 47,497 and its homologues and analogs;		
306	Cannabicyclohexanol;		
307	CP 55,940.		
308	Benzoylindoles or any compound containing a 3-(benzoyl) indole structure with		
309	substitution at the nitrogren atom of the indole ring whether or not further substituted in the indole		
310	ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include		
311	the following:		
312	AM 694;		
313	Pravadoline WIN 48,098;		
314	RCS 4;		
315	AM 679.		
316	[2,3-dihydro-5 methyl-3-(4-morpholinylmethyl)pyrrolo [1,2,3-DE]-1, 4-benzoxazin-6-YL]-1-		
317	napthalenymethanone. This shall include WIN 55,212-2.		
318	Dibenzopyrans or any compound containing a 11-hydroxydelta 8-tetrahydrocannabinol		
319	structure with substitution on the 3-pentyl group. This shall include HU-210, HU-211, JWH 051		
320	and JWH 133.		
321	Adamantoylindoles or any compound containing a 3-(-1- Adamantoyl) indole structure with		
322	substitution at the nitrogen atom of the indole ring whether or not further substituted in the		
323	adamantoyl ring system to any extent. This shall include AM1248.		
324	Tetramethylcyclopropylindoles or any compound containing A 3-		
325	tetramethylcyclopropylindole structure with substitution at the nitrogen atom of the indole ring		
326	whether or not further substituted in the indole ring to any extent and whether or not substituted		
327	in the tetramethylcyclopropyl ring to any extent. This shall include UR-144 and XLR-11.		

328 N-(1-Adamantyl)-1-pentyl-1h-indazole-3-carboxamide. This shall include AKB48. 329 Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as 330 demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, 331 and V, not a federal Food and Drug Administration approved drug, or used within legitimate, 332 approved medical research. Since nomenclature of these substances is not internationally 333 standardized, any immediate precursor or immediate derivative of these substances shall be 334 covered. 335 Tryptamines: 336 5-methoxy- N- methyl-N-isopropyltryptamine (5-MeO-MiPT); 337 4-hydroxy-N,N-diisopropyltryptamine (4-HO-DiPT); 338 4-hydroxy-N-methyl-N-isopropyltryptamine (4-HO-MiPT); 339 4-hydroxy-N-methyl-N-ethyltryptamine (4-HO-MET); 340 4-acetoxy-N,N-diisopropyltryptamine (4-AcO-DiPT): 341 5-methoxy-α-methyltryptamine (5-MeO-AMT); 342 4-methoxy-N,N-Dimethyltryptamine (4-MeO-DMT); 343 4-hydroxy Diethyltryptamine (4-HO-DET); 344 5-methoxy- N,N- diallyltryptamine (5-MeO-DALT); 345 4-acetoxy-N,N-Dimethyltryptamine (4-AcO DMT); 346 4-hydroxy Diethyltryptamine (4-HO-DET) 347 FDU-PB-22 (1-Naphthyl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate); 348 FUB-PB-22 (Quinolin-8-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate); 349 5-Fluoro-MN-24 (1-(5-Fluoropentyl)-N-(naphthalen-1-yl)-1H-indole-3-carboxamide); 350 MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide); 351 SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate); 352 SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide); 353 Methyl-Ethylaminopentiophenone;

354	FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);
355	5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);
356	5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-
357	carboxamide);
358	MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-
359	methylbutanoat);
360	MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);
361	SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);
362	SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);
363	Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);
364	Methyl-Ethylaminopentiophenone;
365	FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);
366	5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);
367	5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-
368	3- carboxamide);
369	MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-
370	methylbutanoat);
371	Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
372	Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3-
373	a][1,4]benzodiazepine);
374	Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-
375	benzodiazepin-2-one);
376	Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-
377	a][1,4]diazepine):
378	Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
379	al[1.4]benzodiazepine):

380	Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one)
381	Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
382	a][1,4]benzodiazepine);
383	Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-
384	a][1,4]diazepine);
385	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-
386	one);
387	Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
388	Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-
389	a][1,4]benzodiazepine).
390	(e) Depressants. —
391	4-CN-CUMYL-BUTINACA (1-(4-Cyanobutyl)-N-(2-phenylpropan-2- yl)-1H-indazole-3-
392	carboxamide);
393	Alpha-Phenylacetoacetonitrile (3-Oxo-2-phenylbutanenitrile);
394	2-Fluoro Deschloroketamine (2-(2-Fluorophenyl)-2-(methylamino)-cyclohexanone,
395	monohydrochloride);
396	4-MEAP (2-(Ethylamino)-1-(4-methylphenyl)pentan-1-one);
397	Mecloqualone;
398	Methaqualone;
399	Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
400	Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3
401	a][1,4]benzodiazepine);
402	Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-
403	benzodiazepin-2-one);
404	Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-
405	a][1,4]diazepine);

406	Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
407	a][1,4]benzodiazepine);
408	Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);
409	Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
410	a][1,4]benzodiazepine);
411	Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-
412	a][1,4]diazepine):
413	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-
414	one);
415	Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
416	Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-
417	a][1,4]benzodiazepine);
418	Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-
419	1,4-benzodiazepin-2-one);
420	Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-
421	a][1,4]diazepine);
422	(f) Stimulants. —
423	Aminorex; some other names: aminoxaphen; 2-amino-5- phenyl-2-oxazoline; or 4,5-
424	dihydro-5-phenyl-2-oxazolamine;
425	Cathinone; some trade or other names: 2-amino-1-phenyl-1- propanone, alpha-
426	aminopropiophenone, 2-aminopropiophenone and norephedrone;
427	Fenethylline;
428	Methcathinone, its immediate precursors and immediate derivatives, its salts, optical
429	isomers and salts of optical isomers; some other names: (2-(methylamino)-propiophenone; alpha-
430	(methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1- one; alpha—-
431	methylaminopropiophenone; monomethylpropion; 3,4-methylenedioxypyrovalerone and/or

```
432
       mephedrone;3,4-methylenedioxypyrovalerone
                                                     (MPVD);
                                                                 ephedrone;
                                                                               N-methylcathinone;
       methylcathinone; AL-464; AL-422; AL- 463 and UR1432;
433
434
              (+-) cis-4-methylaminorex; ((+-)cis-4,5-dihydro-4-methyl- 5-phenyl-2-oxazolamine);
435
              N-ethylamphetamine;
              N,N-dimethylamphetemine; also known as N,N-alpha- trimethyl-benzeneethanamine;
436
437
       N,N-alpha-trimethylphenethylamine.
438
              Alpha-pyrrolidinopentiophenone, also known as alpha-PVP, optical isomers, salts and
439
       salts of isomers.
440
              Substituted amphetamines:
441
              2-Fluoroamphetamine;
442
              3-Fluoroamphetamine;
443
              4-Fluoroamphetamine;
444
              2-chloroamphetamine;
445
              3-chloroamphetamine;
446
              4-chloroamphetamine;
447
              2-Fluoromethamphetamine;
448
              3-Fluoromethamphetamine;
449
              4-Fluoromethamphetamine;
450
              4-chloromethamphetamine;
451
              Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);
452
              Alpha-PHP (1-Phenyl-2-(pyrrolidin-1-yl)hexan-1-one);
453
              MPHP (1-(4-Methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);
454
              PV8 (1-Phenyl-2-(pyrrolidin-1-yl)heptan-1-one);
455
              4-Chloro-Alpha-PVP (1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);
456
              N-Ethylhexedrone (2-(Ethylamino)-1-phenylhexan-1-one);
              Methoxetamine (2-(Ethylamino)-2-(3-methoxyphenyl)-cyclohexanone);
457
```

458	3-Fluorophenmetrazine (2-(3-Fluorophenyl)-3-methylmorpholine);
459	(g) Temporary listing of substances subject to emergency scheduling. Any material,
460	compound, mixture, or preparation which contains any quantity of the following substances:
461	N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), its optical isomers, salts,
462	and salts of isomers;
463	N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), its optical
464	isomers, salts and salts of isomers;
465	N-benzylpiperazine, also known as BZP;
466	Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);
467	4-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]-
468	butyramide);
469	Isobutyryl fentanyl (2-methyl-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-propanamide);
470	Methoxyacetyl fentanyl (2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-
471	acetamide);
472	3-methylbutyryl fentanyl (N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-N-
473	phenylbutyramide);
474	4-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-
475	yl)butyramide);
476	Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]-acetamide);
477	Tetrahydrofuran fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-
478	carboxamide);
479	Valeryl fentanyl (N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]pentanamide).
480	(h) The following controlled substances are included in Schedule I:
481	Synthetic cathinones or any compound, except bupropion or compounds listed under a
482	different schedule, or compounds used within legitimate and approved medical research,
483	structurally derived from 2- Aminopropan-1-one by substitution at the 1-position with Monocyclic

or fused polycyclic ring systems, whether or not the compound is further modified in any of the following ways:

By substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl or halide substituents whether or not further substituted in the ring system by one or more other univalent substituents.

By substitution at the 3-position with an acyclic alkyl substituent.

By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl groups.

By inclusion of the 2-amino nitrogen atom in a cyclic structure.

Any other synthetic chemical compound that is a cannabinoid receptor type 1 agonist as demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, and V, not <u>a</u> federal Food and Drug Administration-approved drug, or used within legitimate, approved medical research.

§60A-2-212. Schedule V.

- (a) Schedule V shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances, including their isomers, esters, ethers, salts, and salts of isomers, esters and ethers, whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation.
- (b) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, mixture or preparation containing any of the following narcotic drugs or their salts calculated as the free anhydrous base or alkaloid in limited quantities as set forth below, which shall include one or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal qualities other than those possessed by the narcotic drug alone.

13	Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
14	Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams;
15	Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams;
16	Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine
17	sulfate per dosage unit;
18	Not more than 100 milligrams of opium per 100 milliliters or per 100 grams;
19	Not more than 0.5 milligrams of difenoxin and not less than 25 micrograms of atropine
20	sulfate per dosage unit.
21	(c) Stimulants. —
22	Pyrovalerone.
23	(d) Any compound, mixture, or preparation containing as its single active ingredient
24	ephedrine, pseudoephedrine, or phenylpropanolamine, their salts or optical isomers, or salts of
25	optical isomers except products which are for pediatric use primarily intended for administration
26	to children under the age of 12: Provided, That neither the offenses set forth in §60A-4-401 nor
27	the penalties therein shall be applicable to ephedrine, pseudoephedrine, or phenylpropanolamine
28	which shall be subject to the provisions of §60A-10-1 et seq. of this code.
29	(e) Depressants. —
30	Ezogabine [N-[2-amino-4-94-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester];
31	Lacosamide [(R)-2-acetoamido- N -benzyl-3-methoxy-propionamide];
32	Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid]; and
33	Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl] butanamide) (also referred to as
34	BRV; UCB-34714; Briviact).
35	(f) Other substances: —
36	Gabapentin
37	Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid];
38	Epidiolex (contains cannabidiol (CBD).