WEST VIRGINIA LEGISLATURE

2023 REGULAR SESSION

ENGROSSED

Committee Substitute

for

Senate Bill 546

BY SENATORS STUART, WOODRUM, DEEDS, TAYLOR,

MAYNARD, AND HAMILTON

[Originating in the Committee on the Judiciary;

reported on February 24, 2023]

1 A BILL to amend and reenact §60A-2-204, §60A-2-206, §60A-2-210, and §60A-2-212 of the Code 2 of West Virginia, 1931, as amended, all relating to classifying additional drugs and 3 substances to Schedules I, II, IV, and V of the Uniform Controlled Substances Act; 4 removing a substance from Schedule V; modifying language for clarity, that unless 5 expressly exempted by law, all delta tetrahydrocannabinols are included in schedule I; 6 and declaring that the provisions related to tetrahydrocannabinols are inapplicable to 7 products lawfully manufactured, distributed, or possessed pursuant to the Industrial Hemp 8 Development Act and the Medical Cannabis Act.

Be it enacted by the Legislature of West Virginia:

ARTICLE 2. STANDARDS AND SCHEDULES.

§60A-2-204. Schedule I.

(a) Schedule I shall consist of the drugs and other substances, by whatever official name,
common or usual name, chemical name, or brand name designated, listed in this section including
their isomers, esters, ethers, salts and salts of isomers, esters, and ethers, whenever the
existence of such isomers, esters, ethers, and salts is possible within the specific chemical
designation.

6 (b) Opiates.

7 Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl) -4-piperidinyl]-

8 phenylacetamide);

9 Acetylmethadol;

10 Allylprodine;

11 Alphacetylmethadol (except levoalphacetylmethadol also known as levo-alpha-12 acetylmethadol, levomethadyl acetate, or LAAM);

13 Alphameprodine;

14 Alphamethadol;

- 15 Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl) ethyl-4-piperidyl] propionanilide;
- 16 1-(1-methyl-2-phenylethyl)-4-((propanilido) piperidine);
- 17 Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl) ethyl-4-piperidinyl]—
- 18 phenylpropanamide);
- 19 Benzethidine;
- 20 Betacetylmethadol;
- 21 Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-
- 22 phenylpropanamide);
- 23 Beta-hydroxy-3-methylfentanyl (other name: N-[1-(2- hydroxy-2-phenethyl)-3-methyl-4-
- 24 piperidinyl]-N-phenylpropanamide);
- 25 Betameprodine;
- 26 Betamethadol;
- 27 Betaprodine;
- 28 Clonitazene;
- 29 Dextromoramide;
- 30 Diampromide;
- 31 Diethylthiambutene;
- 32 Difenoxin;
- 33 Dimenoxadol;
- 34 Dimepheptanol;
- 35 Dimethylthiambutene;
- 36 Dioxaphetyl butyrate;
- 37 Dipipanone;
- 38 Ethylmethylthiambutene;
- 39 Etonitazene;
- 40 Etoxeridine;

41 Furethidine; 42 Hydroxypethidine; 43 Ketobemidone; 44 Levomoramide; 45 Levophenacylmorphan; 3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4- piperidyl]-N-phenylpropanamide); 46 47 3-methylthiofentanyl (N-[3-methyl-1-(2-thienyl) ethyl-4- piperidinyl]-phenylpropanamide); 48 Morpheridine; N-Methylnorfentanyl 49 (N-(1-Methyl-4-piperidinyl)-N-phenyl-propanamide, 50 monohydrochloride); 51 Norfentanyl (N-Phenyl-N-4-piperidinyl-propanamide); 52 MPPP (1-methyl-4-phenyl-4-propionoxypiperidine); 53 Noracymethadol; 54 Norlevorphanol; 55 Normethadone; 56 Norpipanone; 57 Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidinyl] propanamide); 58 PEPAP(1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine); Phenadoxone; 59 60 Phenampromide; 61 Phenomorphan; 62 Phenoperidine; 63 Piritramide; 64 Proheptazine; Properidine; 65 66 Propiram;

- 67 Racemoramide;
- 68 Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4- piperidinyl]-propanamide);
- 69 Tilidine;
- 70 Trimeperidine.
- 71 (c) Opium derivatives,
- 72 Acetorphine;
- 73 Acetyldihydrocodeine;
- 74 Benzylmorphine;
- 75 Codeine methylbromide;
- 76 Codeine-N-Oxide;
- 77 Cyprenorphine;
- 78 Desomorphine;
- 79 Dihydromorphine;
- 80 Drotebanol;
- 81 Etorphine (except HCl Salt);
- 82 Heroin;
- 83 Hydromorphinol;
- 84 Methyldesorphine;
- 85 Methyldihydromorphine;
- 86 Morphine methylbromide;
- 87 Morphine methylsulfonate;
- 88 Morphine-N-Oxide;
- 89 Myrophine;
- 90 Nicocodeine;
- 91 Nicomorphine;
- 92 Normorphine;

93	Pholcodine;
94	Thebacon.
95	(d) Hallucinogenic substances.
96	Alpha-ethyltryptamine; some trade or other names: etryptamine; Monase; alpha-ethy-1H-
97	indole-3-ethanamine; 3-(2- aminobutyl) indole; alpha-ET; and AET;
98	4-bromo-2, 5-dimethoxy-amphetamine; some trade or other names: 4-bromo-2,5-
99	dimethoxy-alpha-methylphenethylamine; 4-bromo- 2,5-DMA;
100	4-Bromo-2,5-dimethoxyphenethylamine; some trade or other names: 2-(4-bromo-2,5-
101	dimethoxyphenyl)-1-aminoethane; alpha- desmethyl DOB; 2C-B, Nexus;
102	N-(2-Methoxybenzyl)-4-bromo-2, 5-dimethoxyphenethylamine. The substance has the
103	acronym 25B-NBOMe;
104	2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25C-NBOMe);
105	2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25I-NBOMe);
106	2,5-dimethoxyamphetamine; some trade or other names: 2,5-dimethoxy-alpha-
107	methylphenethylamine; 2,5-DMA;
108	2,5-dimethoxy-4-ethylamphet-amine; some trade or other names: DOET;
109	2,5-dimethoxy-4-(n)-propylthiophenethylamine (other name: 2C-T-7);
110	4-methoxyamphetamine; some trade or other names: 4-methoxy-alpha-
111	methylphenethylamine; paramethoxyamphetamine; PMA;
112	3-Hydoxy-phencyclidine (other name hydroxy PCP);
113	5-methoxy-3, 4-methylenedioxy-amphetamine;
114	4-methyl-2,5-dimethoxy-amphetamine; some trade and other names: 4-methyl-2,5-
115	dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP";
116	3,4-methylenedioxy amphetamine;
117	3,4-methylenedioxymethamphetamine (MDMA);

- 3,4-methylenedioxy-N-ethylamphetamine (also known as (ethyl-alpha-methyl-3,4
 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, MDEA);
- 120 N-hydroxy-3,4-methylenedioxyamphetamine (also known as (hydroxy-alpha-methyl-3,4
- 121 (methylenedioxy) phenethylamine, and (hydroxy MDA);
- 122 3,4,5-trimethoxy amphetamine;
- 123 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
- 124 Alpha-methyltryptamine (other name: AMT);
- 125 Bufotenine; some trade and other names: 3-(beta-Dimethylaminoethyl)-5-
- 126 hydroxyindole;3-(2-dimethylaminoethyl) -5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-
- 127 dimethyltryptamine; mappine;
- 128 Diethyltryptamine; sometrade and other names: N, N-Diethyltryptamine; DET;
- 129 Dimethyltryptamine; some trade or other names: DMT;
- 130 5-Methoxy-N,N-disopropyltryptamine (5-MeO-DIPT);
- 131 Ibogaine; some trade and other names: 7-Ethyl-6, 6 Beta, 7, 8, 9, 10, 12, 13-octahydro-2-
- methoxy-6, 9-methano-5H- pyrido [1', 2': 1, 2] azepino [5,4-b] indole; Tabernanthe iboga;
- 133 Lysergic acid diethylamide;
- 134 Marihuana; Marijuana (Cannabis, sp.);
- 135 Mescaline;

136 Parahexyl-7374; some trade or other names: 3-Hexyl -1-hydroxy-7, 8, 9, 10-tetrahydro-6,

- 137 6, 9-trimethyl-6H-dibenzo [b,d] pyran; Synhexyl;
- Peyote; meaning all parts of the plant presently classified botanically as Lophophora williamsii Lemaire, whether growing or not, the seeds thereof, any extract from any part of such plant, and every compound, manufacture, salts, immediate derivative, mixture, or preparation of
- 141 such plant, its seeds or extracts;
- 142 N-ethyl-3-piperidyl benzilate;
- 143 N-methyl-3-piperidyl benzilate;
- 6

144 Psilocvbin: 145 Psilocyn; 146 Tetrahydrocannabinols; synthetic equivalents of the substances contained in the plant, or 147 in the resinous extractives of Cannabis, sp. and/or synthetic substances, immediate derivatives 148 and their isomers with similar chemical structure and pharmacological activity such as including, 149 but not limited to the following: 150 delta-1 Cis or trans tetrahydrocannabinol, and their optical isomers; 151 delta-6 Cis or trans tetrahydrocannabinol, and their optical isomers; 152 delta-3,4 Cis or trans tetrahydrocannabinol, and its optical isomers; 153 delta-8 Cis or trans tetrahydrocannabinol and its optical isomers; and 154 delta-10 Cis or trans tetrahydrocannabinol and its optical isomers; 155 Delta-8-tetrahydrocannabinol-O (delta-8-THC-0), Delta-9-tetrahydrocannabinol (delta-9-156 THC-0) and Synthetic and non-naturally occurring cannabinoids. 157 (Since nomenclature of these substances is not internationally standardized, compounds 158 of these structures, regardless of numerical designation of atomic positions covered.) 159 The provisions of this section related to tetrahydrocannabinols are inapplicable to products 160 or substances lawfully manufactured, distributed, or possessed under the provisions of §19-12E-161 1 et seq. and Chapter 16H of this code. 162 Ethylamine analog of phencyclidine; some trade or other names: N-ethyl-1-163 phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine, 164 cyclohexamine, PCE; 165 Pyrrolidine analog of phencyclidine; some trade or other names: 1-(1-phenylcyclohexyl)-166 pyrrolidine, PCPy, PHP; 167 Thiophene analog of phencyclidine; some trade or other names: 1-[1-(2-thienyl)-168 cvclohexyl]-piperidine, 2-thienylanalog of phencyclidine; TPCP, TCP; 169 1[1-(2-thienyl)cyclohexyl]pyrroldine; some other names: TCPy;

- 170 4-methylmethcathinone (Mephedrone);
- 171 3,4-methylenedioxypyrovalerone (MDPV);
- 172 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
- 173 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);
- 174 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
- 175 2-(4-lodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
- 176 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2);
- 177 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);
- 178 2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
- 179 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
- 180 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
- 181 3,4-Methylenedioxy-N-methylcathinone (Methylone);
- 182 2,5-dimethoxy-4-(n)-propyltghiophenethylamine (2C-T-7, itsoptical isomers, salts and
- 183 salts of isomers;
- 184 5-methoxy-N,N-dimethyltryptamine some trade or other names: 5-methoxy-3-[2-
- 185 (dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT);
- 186 Alpha-methyltryptamine (other name: AMT);
- 187 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT);
- 188 Synthetic Cannabinoids as follows:
- 189 2-[(1R,3S)-3-hydroxycyclohexyl]-5- (2-methyloctan-2-yl)phenol) {also known as CP
- 190 47,497 and homologues};
- 191 rel-2-[(1S,3R)-3-hydroxycyclohexyl] -5-(2-methylnonan-2-yl)phenol {also known as CP
- 192 47,497-C8 homolog};
- 193[(6aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-194tetrahydrobenzo[c]chromen-1-ol)] {also known as HU-210};
- 195 (dexanabinol);

196 (6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-

197 tetrahydrobenzol[c]chromen-1-ol) {also known as HU-211};

198 1-Pentyl-3-(1-naphthoyl)indole {also known as JWH-018};

199 1-Butyl-3-(1-naphthoyl)indole {also known as JWH-073};

200 (2-methyl-1-propyl-1H-indol-3-yl)-1-napthalenyl-methanone {also known as JWH-015};

201 (1-hexyl-1H-indol-3-yl)-1-naphthalenyl-methanone {also known as JWH-019};

202 [1-[2-(4-morpholinyl) ethyl] -1H-indol-3-yl]-1-naphthalenyl-methanone {also known as
203 JWH-200};

204 1-(1-pentyl-1H-indol-3-yl)-2-(3-hydroxyphenyl)-ethanone {also known as JWH-250};

205 2-((1S,2S,5S)-5-hydroxy-2- (3-hydroxtpropyl)cyclohexyl) -5-(2-methyloctan-2-yl)phenol

206 {also known as CP 55,940};

207 (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-122};

208 (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-398;

209 (4-methoxyphenyl)(1-pentyl-1H-indol-3-yl)methanone {also known as RCS-4};

210 1-(1-(2-cyclohexylethyl) -1H-indol-3-yl) -2-(2-methoxyphenyl) ethanone {also known as

- 211 RCS-8};
- 212 1-pentyl-3-[1-(4-methoxynaphthoyl)]indole (JWH-081);
- 213 1-(5-fluoropentyl)-3-(1-naphthoyl)indole (AM2201); and
- 214 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole (AM694).

215 Synthetic cannabinoids:

216 CP 47,497 AND homologues, 2-[(1R,3S)-3-Hydroxycyclohexyl]-5-(2-methyloctan-2-

217 YL)phenol);

218 HU-210, [(6AR,10AR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-Methyloctan-2-YL)-6A,7,10,

219 10A-tetrahydrobenzo[C] chromen-1-OL)];

HU-211, (dexanabinol, (6AS,10AS)-9-(hydroxymethyl)-6,6-Dimethyl-3-(2-methyloctan-2-

221 YL)-6A,7,10,10atetrahydrobenzo[C]chromen-1-OL);

222	JWH-018, 1-pentyl-3-(1-naphthoyl)indole;
223	JWH-019, 1-hexyl-3-(1-naphthoyl)indole;
224	JWH-073, 1-butyl-3-(1-naphthoyl)indole;
225	JWH-200, (1-(2-morpholin-4-ylethyl)indol-3-yl)- Naphthalen-1-ylmethanone;
226	JWH-250, 1-pentyl-3-(2-methoxyphenylacetyl)indole.]
227	Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (5F-
228	ADB);
229	Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
230	Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (FUB-
231	AMB);
232	N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA);
233	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide
234	(ADB-FUBINACA);
235	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate
236	(MDMB-CHMICA);
237	Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate
238	(MDMB-FUBINACA);
239	Tetrahydrocannabinols:
240	DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers.
241	DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.
242	DELTA-3,4 CIS or their trans tetrahydrocannabinol and their optical isomers.
243	Synthetic Phenethylamines
244	2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25I-NBOMe/ 2C-I-
245	NBOMe);
246	2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25C-NBOMe/2C-C-
247	NBOMe);

- 248 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25B-NBOMe/ 2C-B249 NBOMe);
- 250 Synthetic Opioids (including their isomers, esters, ethers, salts and salts of isomers, esters 251 and ethers):
- 252 N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (acetyl fentanyl);
- 253 furanyl fentanyl;
- 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also known as U47700);
- N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, also known as N-(1 phenethylpiperidin-4-yl)-N-phenylbutanamide, (butyryl fentanyl);
- 258 N-[1-[2-hydroxy-2-(thiophen-2-yl)ethylpiperidin-4-yl]-N-phenylpropionamide, also known
- 259 as N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide, (beta-
- 260 hydroxythiofentanyl);
- 261 N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl);
- 262 N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl);
- 263 N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl);
- 264 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide
- 265 (also known as U-48800);
- 266 Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as
 267 U-49900);
- 268 Trans-3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methyl-benzeneacetamide (also
 269 known as U-51754);
- 270 <u>2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine</u>
 271 (butonitazene);
- 272 2-(2-(4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine (etodesnitazene);

273	N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine
274	(flunitazene);
275	N,N-diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine
276	(metodesnitazene);
277	N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine
278	(metonitaze);
279	2-(4-ethoxybenzyl)5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 H-benzimidazole (N-pyrrolidino
280	etoitazene, etonitazepyne);
281	N,N-diethyl-2-(5-nitro-2-(4- propoxybenzyl)-1H-benzimidazol-1- yl)ethan-1-amine
282	(protonitazene);
283	N-pyrrolidino etonitazene;
284	Etodesnitazene;
285	Isotonitazene;
286	Protonitazene:
287	Metonitazene:
288	Butonitazene;
289	Metodesnitazene:
290	Flunitazene;
291	Opioid Receptor Agonist
292	AH-7921 (3,4-dichloro-N- (1dimethylamino)cyclohexylmethyl]benzamide).
293	Naphthoylindoles or any compound containing a 3-(-1- Napthoyl) indole structure with
294	substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole
295	ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall
296	include the following:

297 JWH 015;

298 JWH 018;

299	JWH 019;
300	JWH 073;
301	JWH 081;
302	JWH 122;
303	JWH 200;
304	JWH 210;
305	JWH 398;
306	AM 2201; and
307	WIN 55,212.
308	Nanhylmethylir

308 Naphylmethylindoles or any compound containing a 1hindol-3-yl-(1-naphthyl) methane 309 structure with a substitution at the nitrogen atom of the indole ring whether or not further 310 substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to 311 any extent. This shall include, but not be limited to, JWH 175 and JWH 184.

Naphthoylpyrroles or any compound containing a 3-(1- Naphthoyl) pyrrole structure with substitution at the nitrogen atom of the pyrrole ring whether or not further substituted in the pyrrole ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall include, but not be limited to, JWH 147 and JWH 307.

316 Naphthylmethylindenes or any compound containing a Naphthylideneindene structure 317 with substitution at the 3- Position of the indene ring whether or not further substituted in the 318 indene ring to any extent and whether or not substituted in the naphthyl ring to any extent. This 319 shall include, but not be limited to, JWH 176.

320 Phenylacetylindoles or any compound containing a 3- Phenylacetylindole structure with 321 substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole 322 ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include 323 the following:

324 RCS-8, SR-18 OR BTM-8;

- 325 JWH 250;
- 326 JWH 203;
- 327 JWH 251; and
- 328 JWH 302.

329 Cyclohexylphenols or any compound containing a 2-(3- hydroxycyclohexyl) phenol 330 structure with a substitution at the 5-position of the phenolic ring whether or not substituted in the

- 331 cyclohexyl ring to any extent. This shall include the following:
- 332 CP 47,497 and its homologues and analogs;
- 333 Cannabicyclohexanol; and
- 334 CP 55,940.

Benzoylindoles or any compound containing a 3-(benzoyl) indole structure with substitution at the nitrogren atom of the indole ring whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include the following:

- 339 AM 694;
- 340 Pravadoline WIN 48,098;
- 341 RCS 4; and
- 342 AM 679.

343 [2,3-dihydro-5 methyl-3-(4-morpholinylmethyl)pyrrolo [1,2,3-DE]-1, 4-benzoxazin-6-YL]-1344 napthalenymethanone. This shall include WIN 55,212-2.

Dibenzopyrans or any compound containing a 11-hydroxydelta 8-tetrahydrocannabinol structure with substitution on the 3-pentyl group. This shall include HU-210, HU-211, JWH 051, and JWH 133.

Adamantoylindoles or any compound containing a 3-(-1- Adamantoyl) indole structure with substitution at the nitrogen atom of the indole ring whether or not further substituted in the adamantoyl ring system to any extent. This shall include AM1248.

351 Tetramethylcyclopropylindoles or any compound containing A 3-352 tetramethylcyclopropylindole structure with substitution at the nitrogen atom of the indole ring 353 whether or not further substituted in the indole ring to any extent and whether or not substituted 354 in the tetramethylcyclopropyl ring to any extent. This shall include UR-144 and XLR-11.

355 N-(1-Adamantyl)-1-pentyl-1h-indazole-3-carboxamide. This shall include AKB48.

Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, and V, not federal Food and Drug Administration approved drug or used within legitimate, approved medical research. Since nomenclature of these substances is not internationally standardized, any immediate precursor or immediate derivative of these substances shall be covered.

- 362 Tryptamines:
- 363 5- methoxy- N- methyl-N-isopropyltryptamine (5-MeO-MiPT);
- 364 4-hydroxy-N,N-diisopropyltryptamine (4-HO-DiPT);
- 365 4-hydroxy-N-methyl-N-isopropyltryptamine (4-HO-MiPT);
- 366 4-hydroxy-N-methyl-N-ethyltryptamine (4-HO-MET);
- 367 4-acetoxy-N,N-diisopropyltryptamine (4-AcO-DiPT);
- 368 5-methoxy-α-methyltryptamine (5-MeO-AMT);
- 369 4-methoxy-N,N-Dimethyltryptamine (4-MeO-DMT);
- 370 4-hydroxy Diethyltryptamine (4-HO-DET);
- 371 5- methoxy- N,N- diallyltryptamine (5-MeO-DALT);
- 372 4-acetoxy-N,N-Dimethyltryptamine (4-AcO DMT);
- 373 4-hydroxy Diethyltryptamine (4-HO-DET);
- 374 FDU-PB-22 (1-Naphthyl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate);
- 375 FUB-PB-22 (Quinolin-8-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate);
- 376 <u>5-Fluoro-MN-24 (1-(5-Fluoropentyl)-N-(naphthalen-1-yl)-1H-indole-3-carboxamide);</u>

377	MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);
378	SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);
379	SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);
380	Methyl-Ethylaminopentiophenone;
381	FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);
382	5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);
383	5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-
384	carboxamide);
385	MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-
386	methylbutanoat);
387	MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);
388	SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);
389	SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);
390	Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);
391	Methyl-Ethylaminopentiophenone;
392	FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);
393	5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);
394	5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-
395	<u>3- carboxamide);</u>
396	MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-
397	methylbutanoat);
398	Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
399	Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3-
400	a][1,4]benzodiazepine);
401	Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-
402	benzodiazepin-2-one);

403	Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-
404	a][1,4]diazepine);
405	Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
406	a][1,4]benzodiazepine);
407	Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);
408	Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
409	a][1,4]benzodiazepine);
410	Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-
411	a][1,4]diazepine);
412	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-
413	<u>one) ;</u>
414	Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); and
415	Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-
416	a][1,4]benzodiazepine).
417	(e) Depressants.
418	4-CN-CUMYL-BUTINACA (1-(4-Cyanobutyl)-N-(2-phenylpropan-2- yl)-1H-indazole-3-
419	<u>carboxamide);</u>
420	Alpha-Phenylacetoacetonitrile (3-Oxo-2-phenylbutanenitrile);
421	2-Fluoro Deschloroketamine (2-(2-Fluorophenyl)-2-(methylamino)-cyclohexanone,
422	monohydrochloride):
423	4-MEAP (2-(Ethylamino)-1-(4-methylphenyl)pentan-1-one);
424	Mecloqualone;
425	Methaqualone;
426	Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
427	Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3
428	a][1,4]benzodiazepine);

429	Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-
430	benzodiazepin-2-one);
431	Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-
432	a][1,4]diazepine);
433	Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
434	a][1,4]benzodiazepine);
435	Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);
436	Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-
437	a][1,4]benzodiazepine);
438	Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-
439	a][1,4]diazepine);
440	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-
441	<u>one):</u>
442	Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);
443	Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-
444	a][1,4]benzodiazepine);
444 445	
	a][1,4]benzodiazepine);
445	a][1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2-
445 446	a][1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2- one); and
445 446 447	a][1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2- one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3-
445 446 447 448	a][1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2- one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3- a][1,4]diazepine);
445 446 447 448 449	a][1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2- one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3- a][1,4]diazepine); (f) Stimulants.
445 446 447 448 449 450	al[1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2- one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3- al[1,4]diazepine); (f) Stimulants. Aminorex; some other names: aminoxaphen; 2-amino-5- phenyl-2-oxazoline; or 4,5-
445 446 447 448 449 450 451	al[1,4]benzodiazepine); Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2- one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3- al[1,4]diazepine); (f) Stimulants. Aminorex; some other names: aminoxaphen; 2-amino-5- phenyl-2-oxazoline; or 4,5- dihydro-5-phenyl-2-oxazolamine;

455	Methcathinone, its immediate precursors and immediate derivatives, its salts, optical
456	isomers and salts of optical isomers; some other names: (2-(methylamino)-propiophenone; alpha-
457	(methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1- one; alpha
458	methylaminopropiophenone; monomethylpropion; 3,4-methylenedioxypyrovalerone and/or
459	mephedrone;3,4-methylenedioxypyrovalerone (MPVD); ephedrone; N-methylcathinone;
460	methylcathinone; AL-464; AL-422; AL- 463 and UR1432;
461	(+-) cis-4-methylaminorex; ((+-)cis-4,5-dihydro-4-methyl- 5-phenyl-2-oxazolamine);
462	N-ethylamphetamine;
463	N,N-dimethylamphetemine; also known as N,N-alpha- trimethyl-benzeneethanamine;
464	N,N-alpha-trimethylphenethylamine;
465	Alpha-pyrrolidinopentiophenone, also known as alpha-PVP, optical isomers, salts and
466	salts of isomers;
467	Substituted amphetamines:
468	2-Fluoroamphetamine;
469	3-Fluoroamphetamine;
470	4-Fluoroamphetamine;
471	2-chloroamphetamine;
472	3-chloroamphetamine;
473	4-chloroamphetamine;
474	2-Fluoromethamphetamine;
475	3-Fluoromethamphetamine;
476	4-Fluoromethamphetamine;
477	4-chloromethamphetamine;
478	Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);
479	<u>Alpha-PHP (1-Phenyl-2-(pyrrolidin-1-yl)hexan-1-one);</u>
480	MPHP (1-(4-Methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);

- 481 <u>PV8 (1-Phenyl-2-(pyrrolidin-1-yl)heptan-1-one);</u>
- 482 4-Chloro-Alpha-PVP (1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);

483 N-Ethylhexedrone (2-(Ethylamino)-1-phenylhexan-1-one);

484 Methoxetamine (2-(Ethylamino)-2-(3-methoxyphenyl)-cyclohexanone); and

485 <u>3-Fluorophenmetrazine (2-(3-Fluorophenyl)-3-methylmorpholine);</u>

486 (g) Temporary listing of substances subject to emergency scheduling. Any material,

487 compound, mixture, or preparation which contains any quantity of the following substances:

- 488 N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), its optical isomers, salts,
- 489 and salts of isomers;
- 490 N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), its optical
 491 isomers, salts, and salts of isomers.
- 492 N-benzylpiperazine, also known as BZP;

493 Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);

494 4-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]-495 butyramide);

496 Isobutyryl fentanyl (2-methyl-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-propanamide);

497 Methoxyacetyl fentanyl (2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-

498 acetamide);

499 3-methylbutyryl fentanyl (N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-N-

500 phenylbutyramide);

501 4-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-

502 yl)butyramide);

503 Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]-acetamide);

504 Tetrahydrofuran fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-505 carboxamide); and

506 Valeryl fentanyl (N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]pentanamide).

507 (h) The following controlled substances are included in Schedule I:

508 Synthetic Cathinones or any compound, except bupropion or compounds listed under a 509 different schedule, or compounds used within legitimate and approved medical research, 510 structurally derived from 2- Aminopropan-1-one by substitution at the 1-position with Monocyclic 511 or fused polycyclic ring systems, whether or not the compound is further modified in any of the 512 following ways:

513 By substitution in the ring system to any extent with Alkyl, alkylenedioxy, alkoxy, haloalkyl, 514 hydroxyl, or halide Substituents whether or not further substituted in the ring system by one or 515 more other univalent substituents;

516 By substitution at the 3-position with an acyclic alkyl substituent;

517 By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl 518 groups;

519 By inclusion of the 2-amino nitrogen atom in a cyclic structure; or

520 Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as 521 demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, 522 and V, not federal Food and Drug Administration approved drug or used within legitimate, 523 approved medical research.

§60A-2-206. Schedule II.

(a) Schedule II consists of the drugs and other substances, by whatever official name,
common or usual name, chemical name or brand name designated, listed in this section. Unless
specifically excepted or unless listed in another schedule, any material, compound, mixture, or
preparation which contains any quantity of the following substances, including their isomers,
esters, ethers, salts and salts of isomers, esters, and ethers, whenever the existence of such
isomers, esters, ethers, and salts is possible within the specific chemical designation.

(b) Substances, vegetable origin or chemical synthesis. — Unless specifically excepted or
unless listed in another schedule, any of the following substances whether produced directly or

9 indirectly by extraction from substances of vegetable origin, or independently by means of
10 chemical synthesis, or by a combination of extraction and chemical synthesis:

11 Opium and opiate, and any salt, compound, derivative, or preparation of opium or opiate 12 excluding apomorphine, thebaine-derived butorphanol, dextrorphan, nalbuphine, nalmefene, 13 naloxone and naltrexone, and their respective salts, but including the following:

- 14 Raw opium;
- 15 Opium extracts;
- 16 Opium fluid;
- 17 Powdered opium;
- 18 Granulated opium;
- 19 Tincture of opium;
- 20 Codeine;
- 21 Dihydroetorphine;
- 22 Ethylmorphine;
- 23 Etorphine hydrochloride;
- 24 Hydrocodone;
- 25 Hydromorphone;
- 26 Metopon;
- 27 Morphine;
- 28 Oripavine;
- 29 Oxycodone;
- 30 Oxymorphone; and
- 31 Thebaine;

32 Any salt, compound, derivative, or preparation thereof which is chemically equivalent or

identical with any of the substances referred to in subdivision (1) of this subsection, except that

34 these substances shall not include the isoquinoline alkaloids of opium;

35 Opium poppy and poppy straw; 36 Coca leaves and any salt, compound, derivative, or preparation of coca leaves (including 37 cocaine and econine and their salts, isomers, derivatives, and salts of isomers and derivatives), 38 and any salt, compound, derivative or preparation thereof which is chemically equivalent or 39 identical with any of these substances, except that the substances shall not include decocainized 40 coca leaves or extractions of coca leaves, which extractions do not contain cocaine or ecgonine; 41 Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid, or 42 powder form which contains the phenanthrene alkaloids of the opium poppy). 43 (c) Opiates. 44 Alfentanil: 45 Alphaprodine: 46 Anileridine; 47 Bezitramide; 48 Bulk dextropropoxyphene (nondosage forms); Carfentanil; 49 50 Dihydrocodeine; 51 Diphenoxylate; 52 Fentanyl: 53 Isomethadone; 54 Levo-alphacetylmethadol; some other names: levo-alpha-acetylmethadol, levomethadyl acetate, LAAM; 55 Levomethorphan; 56 Levorphanol; 57 58 Metazocine; 59 Methadone: 60 Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;

61	Moramide-Intermediate, 2-methyl-3-morpholino-1;
62	Norfentanyl;
63	Oliceridine;
64	1-diphenylpropane-carboxylic acid;
65	Pethidine; (meperidine);
66	Pethidine-Intermediate-A, 4-cyano-1-methyl-4- phenylpiperidine;
67	Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;
68	Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;
69	Phenazocine;
70	Piminodine;
71	Racemethorphan;
72	Racemorphan;
73	Remifentanil;
74	Sufentanil;
75	Tapentadol; and
76	Thiafentanil (4-(methoxycarbonyl)-4-(N-phenmethoxyacetamido)-1-2-
77	(thienyl)ethylpiperidine), including its isomers, esters, ethers, salts and salts of isomers, esters
78	and ethers.
79	(d) Stimulants.
80	Amphetamine, its salts, optical isomers, and salts of its optical isomers;
81	Methamphetamine, its salts, isomers, and salts of its isomers;
82	Methylphenidate;
83	Phenmetrazine and its salts; and
84	Lisdexamfetamine.
85	(e) Depressants.
86	Amobarbital;

87	Glutethimide;
88	Pentobarbital;
89	Phencyclidine; and
90	Secobarbital.
91	(f) Hallucinogenic substances:
92	Dronabinol [(-)-delta-9-trans tetrahydrocannabinol] if in an FDA approved oral solution;
93	and
94	Nabilone: [Another name for nabilone: (+-)-trans-3-(1, 1-dimethylheptyl)-6, 6a, 7, 8, 10,
95	10a-hexahydro-1-hydroxy-6, 6-dimethyl-9H-dibenzo [b,d] pyran-9-one].
96	(g) Immediate precursors. Unless specifically excepted or unless listed in another
97	schedule, any material, compound, mixture, or preparation which contains any quantity of the
98	following substances:
99	Immediate precursor to amphetamine and methamphetamine:
100	Phenylacetone;
101	Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl
102	benzyl ketone;
103	Immediate precursors to phencyclidine (PCP):
104	1-phenylcyclohexylamine; and
105	1-piperidinocyclohexanecarbonitrile (PCC).
106	Immediate precursor to fentanyl:
107	4-anilino-N-phenethyl-4-piperidine (ANPP).
	§60A-2-210. Schedule IV.
1	(a) Schedule IV shall consist of the drugs and other substances, by whatever official name,

2 common or usual name, chemical name, or brand name designated, listed in this section. Unless

3 specifically excepted or unless listed in another schedule, any material, compound, mixture, or

4 preparation which contains any quantity of the following substances, including their isomers,

5	esters, ethers, salts and salts of isomers, esters, and ethers, whenever the existence of such
6	isomers, esters, ethers, and salts is possible within the specific chemical designation.
7	(b) Narcotic drugs. — Unless specifically excepted or unless listed in another schedule,
8	any material, compound, mixture, or preparation containing any of the following narcotic drugs,
9	or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth
10	below:
11	Not more than 1 milligram of difenoxin and not less than 25 micrograms of atropine sulfate
12	per dosage unit; and
13	Dextropropoxyphene (alpha-(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-
14	propionoxybutane).
15	(c) Depressants.
16	Alprazolam;
17	Barbital;
18	Bromazepam;
19	Camazepam;
20	Carisoprodol;
21	Chloral betaine;
22	Chloral hydrate;
23	Chlordiazepoxide;
24	Clobazam;
25	Clonazepam;
26	Clorazepate;
27	Clotiazepam;
28	Cloxazolam;
29	Delorazepam;
30	Diazepam;

- 31 Dichloralphenazone;
- 32 Estazolam;
- 33 Ethchlorvynol;
- 34 Ethinamate;
- 35 Ethyl loflazepate;
- 36 Fludiazepam;
- 37 Flunitrazepam;
- 38 Flurazepam;
- 39 Fospropofol;
- 40 Halazepam;
- 41 Haloxazolam;
- 42 Ketazolam;
- 43 <u>Lemborexant</u>.
- 44 Loprazolam;
- 45 Lorazepam;
- 46 Lormetazepam;
- 47 Mebutamate;
- 48 Medazepam;
- 49 Meprobamate;
- 50 Methohexital;
- 51 Methylphenobarbital (mephobarbital);
- 52 Midazolam;
- 53 Nimetazepam;
- 54 Nitrazepam;
- 55 Nordiazepam;
- 56 Oxazepam;

- 57 Oxazolam;
- 58 Paraldehyde;
- 59 Petrichloral;
- 60 Phenobarbital;
- 61 Pinazepam;
- 62 Prazepam;
- 63 Quazepam;
- 64 <u>Remimazolam</u>.
- 65 Temazepam;
- 66 Tetrazepam;
- 67 Triazolam;
- 68 <u>Xylazine;</u>
- 69 Zaleplon;
- 70 Zolpidem;
- 71 Zopiclone; and
- 72 Suvorexant ([(7R)-4-(5-chloro-1,3-benzoxazol-2-yl)-7-methyl-1,4-diazepan-1-yl] [5-
- 73 methyl-2-(2H-1,2,3-triazol-2-yl)phenyl]methanone).
- 74 (d) Any material, compound, mixture, or preparation which contains any quantity of
- 75 Fenfluramine and Dexfenfluramine.
- 76 (e) Stimulants.
- 77 Cathine ((+)-norpseudoephedrine);
- 78 Diethylpropion;
- 79 Fencamfamin;
- 80 Fenproporex;
- 81 Mazindol;
- 82 Mefenorex;

83 Modafinil;

84 Pemoline (including organometallic complexes and chelates thereof);

85 Phentermine;

86 Pipradrol;

87 <u>Serdexmethylphenidate;</u>

88 Sibutramine;

89 SPA ((-)-1-dimethylamino-1,2-diphenylethane); and

90 Eluxadoline (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-dimethylphenyl]-1-oxopropyl

91 [(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic acid);

92 (f) Other substances.

93 Pentazocine;

94 Butorphanol;

95 Tramadol (2-[(dimethylamino)methyl]-1-(3-methoxyphenyl) cyclohexanol); and

Amyl nitrite, butyl nitrite, isobutyl nitrite, and the other organic nitrites are controlled substances and no product containing these compounds as a significant component shall be possessed, bought, or sold other than pursuant to a bona fide prescription or for industrial or manufacturing purposes.

§60A-2-212. Schedule V.

(a) Schedule V shall consist of the drugs and other substances, by whatever official name,
common or usual name, chemical name, or brand name designated, listed in this section. Unless
specifically excepted or unless listed in another schedule, any material, compound, mixture or
preparation which contains any quantity of the following substances, including their isomers,
esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such
isomers, esters, ethers and salts is possible within the specific chemical designation.

7 (b) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound,
8 mixture or preparation containing any of the following narcotic drugs or their salts calculated as

9 the free anhydrous base or alkaloid in limited quantities as set forth below, which shall include 10 one or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the 11 compound, mixture or preparation valuable medicinal qualities other than those possessed by the 12 narcotic drug alone.

13 Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;

14 Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams;

15 Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams;

16 Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine

17 sulfate per dosage unit;

18 Not more than 100 milligrams of opium per 100 milliliters or per 100 grams; and

Not more than 0.5 milligrams of difenoxin and not less than 25 micrograms of atropine
sulfate per dosage unit.

21 (c) Stimulants:

22 Pyrovalerone.

(d) Any compound, mixture, or preparation containing as its single active ingredient
ephedrine, pseudoephedrine, or phenylpropanolamine, their salts or optical isomers, or salts of
optical isomers except products which are for pediatric use primarily intended for administration
to children under the age of 12: *Provided*, That neither the offenses set forth in section four
hundred one, article four of this chapter, nor the penalties therein, shall be applicable to ephedrine,
pseudoephedrine or phenylpropanolamine which shall be subject to the provisions of article ten
of this chapter.

30 (e) Depressants:

31 Ezogabine [N-[2-amino-4-94-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester];

32 Lacosamide [(R)-2-acetoamido- N -benzyl-3-methoxy-propionamide];

33 Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid]; and

- 34 Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl] butanamide) (also referred to as
- 35 BRV; UCB-34714; Briviact).
- 36 (f) Other substances:
- 37 Gabapentin;
- 38 Pregabalin;
- 39 <u>Cenobamate; and</u>
- 40 <u>Lasmiditan.</u>