

# **WEST VIRGINIA LEGISLATURE**

**2025 REGULAR SESSION**

**ENGROSSED**

**Committee Substitute**

**for**

**House Bill 3343**

By Delegate Worrell

[Originating in the Committee on Health and Human

Resources; Reported on March 20, 2025]



1 A BILL to amend and reenact §60A-2-204 of the Code of West Virginia, 1931, as amended,  
2 relating to Schedule I drugs; and adding a provision relating to the scheduling of crystalline  
3 polymorph psilocybin approved by the Food and Drug Administration and the Drug  
4 Enforcement Administration.

*Be it enacted by the Legislature of West Virginia:*

## **ARTICLE 2. STANDARDS AND SCHEDULES.**

### **§60A-2-204.**

### **Schedule**

### **I.**

1 (a) Schedule I shall consist of the drugs and other substances, by whatever official name,  
2 common or usual name, chemical name, or brand name designated, listed in this section including  
3 their isomers, esters, ethers, salts and salts of isomers, esters, and ethers, whenever the  
4 existence of such isomers, esters, ethers, and salts is possible within the specific chemical  
5 designation.

6 (b) Opiates.

7 Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl) -4-piperidiny]—  
8 phenylacetamide);

9 Acetylmethadol;

10 Allylprodine;

11 Alphacetylmethadol (except levoalphacetylmethadol also known as levo-alpha-  
12 acetylmethadol, levomethadyl acetate, or LAAM);

13 Alphameprodine;

14 Alphamethadol;

15 Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl) ethyl-4-piperidyl] propionanilide;  
16 1-(1-methyl-2-phenylethyl)-4-(( propanilido) piperidine);

17 Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl) ethyl-4-piperidiny]—  
18 phenylpropanamide);

19 Benzethidine;

- 20 Betacetylmethadol;
- 21 Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-piperidiny]-N-
- 22 phenylpropanamide);
- 23 Beta-hydroxy-3-methylfentanyl (other name: N-[1-(2- hydroxy-2-phenethyl)-3-methyl-4-
- 24 piperidiny]-N-phenylpropanamide);
- 25 Betameprodine;
- 26 Betamethadol;
- 27 Betaprodine;
- 28 Clonitazene;
- 29 Dextromoramide;
- 30 Diampromide;
- 31 Diethylthiambutene;
- 32 Difenoxin;
- 33 Dimenoxadol;
- 34 Dimepheptanol;
- 35 Dimethylthiambutene;
- 36 Dioxaphetyl butyrate;
- 37 Dipipanone;
- 38 Ethylmethylthiambutene;
- 39 Etonitazene;
- 40 Etoxidine;
- 41 Furethidine;
- 42 Hydroxypethidine;
- 43 Ketobemidone;
- 44 Levomoramide;
- 45 Levophenacymorphan;

- 46 3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4- piperidyl]-N-phenylpropanamide);
- 47 3-methylthiofentanyl (N-[3-methyl-1-(2-thienyl) ethyl-4- piperidiny]—phenylpropanamide);
- 48 Morpheridine;
- 49 N-Methylnorfentanyl (N-(1-Methyl-4-piperidiny)-N-phenyl-propanamide,
- 50 monohydrochloride);
- 51 Norfentanyl (N-Phenyl-N-4-piperidiny-propanamide);
- 52 MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
- 53 Noracymethadol;
- 54 Norlevorphanol;
- 55 Normethadone;
- 56 Norpipanone;
- 57 Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2- phenethyl)-4-piperidiny] propanamide);
- 58 PEPAP(1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);
- 59 Phenadoxone;
- 60 Phenampromide;
- 61 Phenomorphan;
- 62 Phenoperidine;
- 63 Piritramide;
- 64 Proheptazine;
- 65 Properidine;
- 66 Propiram;
- 67 Racemoramide;
- 68 Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4- piperidiny]-propanamide);
- 69 Tilidine;
- 70 Trimeperidine.
- 71 (c) Opium derivatives.

- 72 Acetorphine;
- 73 Acetyldihydrocodeine;
- 74 Benzylmorphine;
- 75 Codeine methylbromide;
- 76 Codeine-N-Oxide;
- 77 Cyprenorphine;
- 78 Desomorphine;
- 79 Dihydromorphine;
- 80 Drotebanol;
- 81 Etorphine (except HCl Salt);
- 82 Heroin;
- 83 Hydromorphenol;
- 84 Methyldesorphine;
- 85 Methyldihydromorphine;
- 86 Morphine methylbromide;
- 87 Morphine methylsulfonate;
- 88 Morphine-N-Oxide;
- 89 Myrophine;
- 90 Nicocodeine;
- 91 Nicomorphine;
- 92 Normorphine;
- 93 Pholcodine;
- 94 Thebacon.
- 95 (d) Hallucinogenic substances.
- 96 Alpha-ethyltryptamine; some trade or other names: etryptamine; Monase; alpha-ethy-1H-
- 97 indole-3-ethanamine; 3-(2- aminobutyl) indole; alpha-ET; and AET;

98 4-bromo-2, 5-dimethoxy-amphetamine; some trade or other names: 4-bromo-2,5-  
99 dimethoxy-alpha-methylphenethylamine; 4-bromo- 2,5-DMA;  
100 4-Bromo-2,5-dimethoxyphenethylamine; some trade or other names: 2-(4-bromo-2,5-  
101 dimethoxyphenyl)-1-aminoethane; alpha- desmethyl DOB; 2C-B, Nexus;  
102 N-(2-Methoxybenzyl)-4-bromo-2, 5-dimethoxyphenethylamine. The substance has the  
103 acronym 25B-NBOMe;  
104 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25C-NBOMe);  
105 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25I-NBOMe);  
106 2,5-dimethoxyamphetamine; some trade or other names: 2,5-dimethoxy-alpha-  
107 methylphenethylamine; 2,5-DMA;  
108 2,5-dimethoxy-4-ethylamphet-amine; some trade or other names: DOET;  
109 2,5-dimethoxy-4-(n)-propylthiophenethylamine (other name: 2C-T-7);  
110 4-methoxyamphetamine; some trade or other names: 4-methoxy-alpha-  
111 methylphenethylamine; paramethoxyamphetamine; PMA;  
112 3-Hydroxy-phencyclidine (other name hydroxy PCP);  
113 5-methoxy-3, 4-methylenedioxy-amphetamine;  
114 4-methyl-2,5-dimethoxy-amphetamine; some trade and other names: 4-methyl-2,5-  
115 dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP";  
116 3,4-methylenedioxy amphetamine;  
117 3,4-methylenedioxymethamphetamine (MDMA);  
118 3,4-methylenedioxy-N-ethylamphetamine (also known as ( ethyl-alpha-methyl-3,4  
119 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, MDEA);  
120 N-hydroxy-3,4-methylenedioxyamphetamine (also known as ( hydroxy-alpha-methyl-3,4  
121 (methylenedioxy) phenethylamine, and ( hydroxy MDA);  
122 3,4,5-trimethoxy amphetamine;  
123 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);

124           Alpha-methyltryptamine (other name: AMT);  
125           Bufotenine; some trade and other names: 3-(beta-Dimethylaminoethyl)-5-  
126 hydroxyindole;3-(2-dimethylaminoethyl) -5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-  
127 dimethyltryptamine; mappine;  
128           Diethyltryptamine; some trade and other names: N, N-Diethyltryptamine; DET;  
129           Dimethyltryptamine; some trade or other names: DMT;  
130           5-Methoxy-N,N-disopropyltryptamine (5-MeO-DIPT);  
131           Ibogaine; some trade and other names: 7-Ethyl-6, 6 Beta, 7, 8, 9, 10, 12, 13-octahydro-2-  
132 methoxy-6, 9-methano-5H- pyrido [1', 2': 1, 2] azepino [5,4-b] indole; Tabernanthe iboga;  
133           Lysergic acid diethylamide;  
134           Marihuana; Marijuana (Cannabis, sp.);  
135           Mescaline;  
136           Parahexyl-7374; some trade or other names: 3-Hexyl -1-hydroxy-7, 8, 9, 10-tetrahydro-6,  
137 6, 9-trimethyl-6H-dibenzo [b,d] pyran; Synhexyl;  
138           Peyote; meaning all parts of the plant presently classified botanically as Lophophora  
139 williamsii Lemaire, whether growing or not, the seeds thereof, any extract from any part of such  
140 plant, and every compound, manufacture, salts, immediate derivative, mixture, or preparation of  
141 such plant, its seeds or extracts;  
142           N-ethyl-3-piperidyl benzilate;  
143           N-methyl-3-piperidyl benzilate;  
144           Psilocybin;  
145           Psilocyn;  
146           Tetrahydrocannabinols; synthetic equivalents of the substances contained in the plant, or  
147 in the resinous extractives of Cannabis, sp. and/or synthetic substances, immediate derivatives  
148 and their isomers with similar chemical structure and pharmacological activity including, but not  
149 limited to the following:



delta-1 Cis or trans tetrahydrocannabinol, and their optical isomers;

delta-6 Cis or trans tetrahydrocannabinol, and their optical isomers;

delta-3,4 Cis or trans tetrahydrocannabinol, and its optical isomers;

delta-8 Cis or trans tetrahydrocannabinol and its optical isomers; and

delta-10 Cis or trans tetrahydrocannabinol and its optical isomers;

(Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of numerical designation of atomic positions covered.)

Delta-8-tetrahydrocannabinol-O (delta-8-THC-O), Delta-9-tetrahydrocannabinol (delta-9-THC-O) and Synthetic and non-naturally occurring cannabinoids.

The provisions of this section related to tetrahydrocannabinols are inapplicable to products or substances lawfully manufactured, distributed, or possessed under the provisions of §19-12E-1 *et seq.* and Chapter 16H of this code.

Ethylamine analog of phencyclidine; some trade or other names: N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE;

Pyrrolidine analog of phencyclidine; some trade or other names: 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP;

Thiophene analog of phencyclidine; some trade or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine; TCP, TCP;

1[1-(2-thienyl)cyclohexyl]pyrrolidine; some other names: TCPy;

4-methylmethcathinone (Mephedrone);

3,4-methylenedioxypyrovalerone (MDPV);

2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);

2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);

2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);

2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);

176 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2);  
177 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);  
178 2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);  
179 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);  
180 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);  
181 3,4-Methylenedioxy-N-methylcathinone (Methylone);  
182 2,5-dimethoxy-4-(n)-propyltghiophenethylamine (2C-T-7, its optical isomers, salts and  
183 salts of isomers;  
184 5-methoxy-N,N-dimethyltryptamine some trade or other names: 5-methoxy-3-[2-  
185 (dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT);  
186 Alpha-methyltryptamine (other name: AMT);  
187 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT);  
188 Synthetic Cannabinoids as follows:  
189 2-[(1R,3S)-3-hydroxycyclohexyl]-5- (2-methyloctan-2-yl)phenol {also known as CP  
190 47,497 and homologues};  
191 rel-2-[(1S,3R)-3-hydroxycyclohexyl] -5-(2-methylnonan-2-yl)phenol {also known as CP  
192 47,497-C8 homolog};  
193 [(6aR)-9-(hydroxymethyl)-6, 6-dimethyl-3-(2-methyloctan-2-yl)-6a, 7,10,10a-  
194 tetrahydrobenzo[c]chromen-1-ol] {also known as HU-210};  
195 (dexanabinol);  
196 (6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-  
197 tetrahydrobenzol[c]chromen-1-ol {also known as HU-211};  
198 1-Pentyl-3-(1-naphthoyl)indole {also known as JWH-018};  
199 1-Butyl-3-(1-naphthoyl)indole {also known as JWH-073};  
200 (2-methyl-1-propyl-1H-indol-3-yl)-1-naphthalenyl-methanone {also known as JWH-015};  
201 (1-hexyl-1H-indol-3-yl)-1-naphthalenyl-methanone {also known as JWH-019};

202 [1-[2-(4-morpholinyl) ethyl] -1H-indol-3-yl]-1-naphthalenyl-methanone {also known as  
203 JWH-200};  
204 1-(1-pentyl-1H-indol-3-yl)-2-(3-hydroxyphenyl)-ethanone {also known as JWH-250};  
205 2-((1S,2S,5S)-5-hydroxy-2- (3-hydroxypropyl)cyclohexyl) -5-(2-methyloctan-2-yl)phenol  
206 {also known as CP 55,940};  
207 (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-122};  
208 (4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl) -methanone {also known as JWH-398};  
209 (4-methoxyphenyl)(1-pentyl-1H-indol-3-yl)methanone {also known as RCS-4};  
210 1-(1-(2-cyclohexylethyl) -1H-indol-3-yl) -2-(2-methoxyphenyl) ethanone {also known as  
211 RCS-8};  
212 1-pentyl-3-[1-(4-methoxynaphthoyl)]indole (JWH-081);  
213 1-(5-fluoropentyl)-3-(1-naphthoyl)indole (AM2201); and  
214 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole (AM694).  
215 Synthetic cannabinoids:  
216 CP 47,497 AND homologues, 2-[(1R,3S)-3-Hydroxycyclohexyl]-5-(2-methyloctan-2-  
217 YL)phenol);  
218 HU-210, [(6AR,10AR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-Methyloctan-2-YL)-6A,7,10,  
219 10A-tetrahydrobenzo[C] chromen-1-OL)];  
220 HU-211, (dexanabinol, (6AS,10AS)-9-(hydroxymethyl)-6,6-Dimethyl-3-(2-methyloctan-2-  
221 YL)-6A,7,10,10atetrahydrobenzo[ C]chromen-1-OL);  
222 JWH-018, 1-pentyl-3-(1-naphthoyl)indole;  
223 JWH-019, 1-hexyl-3-(1-naphthoyl)indole;  
224 JWH-073, 1-butyl-3-(1-naphthoyl)indole;  
225 JWH-200, (1-(2-morpholin-4-ylethyl)indol-3-yl)- Naphthalen-1-ylmethanone;  
226 JWH-250, 1-pentyl-3-(2-methoxyphenylacetyl)indole.]

- 227 Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (5F-  
228 ADB);
- 229 Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
- 230 Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (FUB-  
231 AMB);
- 232 N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA);
- 233 N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide  
234 (ADB-FUBINACA);
- 235 Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate  
236 (MDMB-CHMICA);
- 237 Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-  
238 FUBINACA);
- 239 Tetrahydrocannabinols:
- 240 DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers.
- 241 DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.
- 242 DELTA-3,4 CIS or their trans tetrahydrocannabinol and their optical isomers.
- 243 Synthetic Phenethylamines
- 244 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25I-NBOMe/ 2C-I-  
245 NBOMe);
- 246 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25C-NBOMe/2C-C-  
247 NBOMe);
- 248 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25B-NBOMe/ 2C-B-  
249 NBOMe);
- 250 Synthetic Opioids (including their isomers, esters, ethers, salts and salts of isomers, esters  
251 and ethers):
- 252 N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (acetyl fentanyl);

253 furanyl fentanyl;

254 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also known as U-

255 47700);

256 N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, also known as N-(1-

257 phenethylpiperidin-4-yl)-N-phenylbutanamide, (butyryl fentanyl);

258 N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpropionamide, also known

259 as N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide, (beta-

260 hydroxythiofentanyl);

261 N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl);

262 N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl);

263 N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl);

264 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide

265 (also known as U-48800);

266 Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as

267 U-49900);

268 Trans-3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methyl-benzeneacetamide (also

269 known as U-51754);

270 2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine

271 (butonitazene);

272 2-(2-(4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine

273 (etodesnitazene);

274 N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine

275 (flunitazene);

276 N,N-diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine

277 (metodesnitazene);

278 N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine  
279 (metonitaze);  
280 2-(4-ethoxybenzyl)5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 H-benzimidazole (N-  
281 pyrrolidino etonitazene, etonitazepyne);  
282 N,N-diethyl-2-(5-nitro-2-(4- propoxybenzyl)-1H-benzimidazol-1- yl)ethan-1-amine  
283 (protonitazene);  
284 N-pyrrolidino etonitazene;  
285 Etodesnitazene;  
286 Isotonitazene;  
287 Protonitazene;  
288 Metonitazene;  
289 Butonitazene;  
290 Metodesnitazene;  
291 Flunitazene;  
292 Opioid Receptor Agonist  
293 AH-7921 (3,4-dichloro-N- (1dimethylamino)cyclohexylmethyl]benzamide).  
294 Naphthoylindoles or any compound containing a 3-(-1- Naphthoyl) indole structure with  
295 substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole  
296 ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall  
297 include the following:  
298 JWH 015;  
299 JWH 018;  
300 JWH 019;  
301 JWH 073;  
302 JWH 081;  
303 JWH 122;

304 JWH 200;  
305 JWH 210;  
306 JWH 398;  
307 AM 2201; and  
308 WIN 55,212.

309 Naphthylmethylinroles or any compound containing a 1-hindol-3-yl-(1-naphthyl) methane  
310 structure with a substitution at the nitrogen atom of the indole ring whether or not further  
311 substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to  
312 any extent. This shall include, but not be limited to, JWH 175 and JWH 184.

313 Naphthoylpyrroles or any compound containing a 3-(1-Naphthoyl) pyrrole structure with  
314 substitution at the nitrogen atom of the pyrrole ring whether or not further substituted in the pyrrole  
315 ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall  
316 include, but not be limited to, JWH 147 and JWH 307.

317 Naphthylmethylindenes or any compound containing a Naphthylideneindene structure  
318 with substitution at the 3-Position of the indene ring whether or not further substituted in the  
319 indene ring to any extent and whether or not substituted in the naphthyl ring to any extent. This  
320 shall include, but not be limited to, JWH 176.

321 Phenylacetylindoles or any compound containing a 3-Phenylacetylindole structure with  
322 substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole  
323 ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include  
324 the following:

325 RCS-8, SR-18 OR BTM-8;  
326 JWH 250;  
327 JWH 203;  
328 JWH 251; and  
329 JWH 302.

Cyclohexylphenols or any compound containing a 2-(3- hydroxycyclohexyl) phenol structure with a substitution at the 5-position of the phenolic ring whether or not substituted in the cyclohexyl ring to any extent. This shall include the following:

CP 47,497 and its homologues and analogs;

Cannabicyclohexanol; and

CP 55,940.

Benzoylindoles or any compound containing a 3-(benzoyl) indole structure with substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include the following:

AM 694;

Pravadoline WIN 48,098;

RCS 4; and

AM 679.

[2,3-dihydro-5 methyl-3-(4-morpholinylmethyl)pyrrolo [1,2,3-DE]-1, 4-benzoxazin-6-YL]-1-naphthalenymethanone. This shall include WIN 55,212-2.

Dibenzopyrans or any compound containing a 11-hydroxydelta 8-tetrahydrocannabinol structure with substitution on the 3-pentyl group. This shall include HU-210, HU-211, JWH 051, and JWH 133.

Adamantoylindoles or any compound containing a 3-(-1- Adamantoyl) indole structure with substitution at the nitrogen atom of the indole ring whether or not further substituted in the adamantoyl ring system to any extent. This shall include AM1248.

Tetramethylcyclopropylindoles or any compound containing A 3-tetramethylcyclopropylindole structure with substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole ring to any extent and whether or not substituted in the tetramethylcyclopropyl ring to any extent. This shall include UR-144 and XLR-11.



N-(1-Adamantyl)-1-pentyl-1H-indazole-3-carboxamide. This shall include AKB48.

Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, and V, not federal Food and Drug Administration approved drug or used within legitimate, approved medical research. Since nomenclature of these substances is not internationally standardized, any immediate precursor or immediate derivative of these substances shall be covered.

Tryptamines:

5- methoxy- N- methyl-N-isopropyltryptamine (5-MeO-MiPT);

4-hydroxy-N,N-diisopropyltryptamine (4-HO-DiPT);

4-hydroxy-N-methyl-N-isopropyltryptamine (4-HO-MiPT);

4-hydroxy-N-methyl-N-ethyltryptamine (4-HO-MET);

4-acetoxy-N,N-diisopropyltryptamine (4-AcO-DiPT);

5-methoxy- $\alpha$ -methyltryptamine (5-MeO-AMT);

4-methoxy-N,N-Dimethyltryptamine (4-MeO-DMT);

4-hydroxy Diethyltryptamine (4-HO-DET);

5- methoxy- N,N- diallyltryptamine (5-MeO-DALT);

4-acetoxy-N,N-Dimethyltryptamine (4-AcO DMT);

4-hydroxy Diethyltryptamine (4-HO-DET);

FDU-PB-22 (1-Naphthyl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate);

FUB-PB-22 (Quinolin-8-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate);

5-Fluoro-MN-24 (1-(5-Fluoropentyl)-N-(naphthalen-1-yl)-1H-indole-3-carboxamide);

MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);

SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);

SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);

Methyl-Ethylaminopentiophenone;

FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);

382 5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);

383 5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-

384 carboxamide);

385 MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-

386 methylbutanoat);

387 MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);

388 SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);

389 SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);

390 Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);

391 Methyl-Ethylaminopentiophenone;

392 FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);

393 5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);

394 5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-

395 3- carboxamide);

396 MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-

397 methylbutanoat);

398 Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);

399 Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3-

400 a][1,4]benzodiazepine);

401 Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-

402 benzodiazepin-2-one);

403 Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-

404 a][1,4]diazepine);

405 Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-

406 a][1,4]benzodiazepine);

407 Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);

408 Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-  
409 a][1,4]benzodiazepine);

410 Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-  
411 a][1,4]diazepine);

412 Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-  
413 one) ;

414 Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); and

415 Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-  
416 a][1,4]benzodiazepine).

417 (e) Depressants.

418 4-CN-CUMYL-BUTINACA (1-(4-Cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-  
419 carboxamide);

420 Alpha-Phenylacetoacetonitrile (3-Oxo-2-phenylbutanenitrile);

421 2-Fluoro Deschloroketamine (2-(2-Fluorophenyl)-2-(methylamino)-cyclohexanone,  
422 monohydrochloride);

423 4-MEAP (2-(Ethylamino)-1-(4-methylphenyl)pentan-1-one);

424 Mecloqualone;

425 Methaqualone;

426 Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);

427 Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3-  
428 a][1,4]benzodiazepine);

429 Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-  
430 benzodiazepin-2-one);

431 Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-  
432 a][1,4]diazepine);

433 Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-  
434 a][1,4]benzodiazepine);  
435 Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);  
436 Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-  
437 a][1,4]benzodiazepine);  
438 Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-  
439 a][1,4]diazepine);  
440 Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-  
441 one);  
442 Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);  
443 Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-  
444 a][1,4]benzodiazepine);  
445 Declazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2-  
446 one); and  
447 Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2- f][1,2,4]triazolo[4,3-  
448 a][1,4]diazepine);  
449 (f) Stimulants.  
450 Aminorex; some other names: aminoxaphen; 2-amino-5- phenyl-2-oxazoline; or 4,5-  
451 dihydro-5-phenyl-2-oxazamine;  
452 Cathinone; some trade or other names: 2-amino-1-phenyl-1- propanone, alpha-  
453 aminopropiophenone, 2-aminopropiophenone and norephedrone;  
454 Fenethylamine;  
455 Methcathinone, its immediate precursors and immediate derivatives, its salts, optical  
456 isomers and salts of optical isomers; some other names: (2-(methylamino)-propionophenone; alpha-  
457 (methylamino)propionophenone; 2-(methylamino)-1-phenylpropan-1- one; alpha—  
458 methylaminopropiophenone; monomethylpropion; 3,4-methylenedioxypyrovalerone and/or

459 mephedrone; 3,4-methylenedioxypyrovalerone (MPVD); ephedrone; N-methylcathinone;  
460 methylcathinone; AL-464; AL-422; AL-463 and UR1432;  
461 (+-) cis-4-methylaminorex; ((+)-)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazoline);  
462 N-ethylamphetamine;  
463 N,N-dimethylamphetamine; also known as N,N-alpha-trimethyl-benzeneethanamine;  
464 N,N-alpha-trimethylphenethylamine;  
465 Alpha-pyrrolidinopentiophenone, also known as alpha-PVP, optical isomers, salts and  
466 salts of isomers;  
467 Substituted amphetamines:  
468 2-Fluoroamphetamine;  
469 3-Fluoroamphetamine;  
470 4-Fluoroamphetamine;  
471 2-chloroamphetamine;  
472 3-chloroamphetamine;  
473 4-chloroamphetamine;  
474 2-Fluoromethamphetamine;  
475 3-Fluoromethamphetamine;  
476 4-Fluoromethamphetamine;  
477 4-chloromethamphetamine;  
478 Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);  
479 Alpha-PHP (1-Phenyl-2-(pyrrolidin-1-yl)hexan-1-one);  
480 MPHP (1-(4-Methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);  
481 PV8 (1-Phenyl-2-(pyrrolidin-1-yl)heptan-1-one);  
482 4-Chloro-Alpha-PVP (1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);  
483 N-Ethylhexedrone (2-(Ethylamino)-1-phenylhexan-1-one);  
484 Methoxetamine (2-(Ethylamino)-2-(3-methoxyphenyl)-cyclohexanone); and

3-Fluorophenmetrazine (2-(3-Fluorophenyl)-3-methylmorpholine);

(g) Temporary listing of substances subject to emergency scheduling. Any material, compound, mixture, or preparation which contains any quantity of the following substances:

N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), its optical isomers, salts, and salts of isomers;

N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), its optical isomers, salts, and salts of isomers.

N-benzylpiperazine, also known as BZP;

Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);

4-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]-butyramide);

Isobutyryl fentanyl (2-methyl-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-propanamide);

Methoxyacetyl fentanyl (2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-acetamide);

3-methylbutyryl fentanyl (N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-N-phenylbutyramide);

4-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);

Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]-acetamide);

Tetrahydrofuran fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-carboxamide); and

Valeryl fentanyl (N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]pentanamide).

(h) The following controlled substances are included in Schedule I:

Synthetic Cathinones or any compound, except bupropion or compounds listed under a different schedule, or compounds used within legitimate and approved medical research, structurally derived from 2- Aminopropan-1-one by substitution at the 1-position with Monocyclic

or fused polycyclic ring systems, whether or not the compound is further modified in any of the following ways:

By substitution in the ring system to any extent with Alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl, or halide Substituents whether or not further substituted in the ring system by one or more other univalent substituents;

By substitution at the 3-position with an acyclic alkyl substituent;

By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl groups;

By inclusion of the 2-amino nitrogen atom in a cyclic structure; or

Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, and V, not federal Food and Drug Administration approved drug or used within legitimate, approved medical research.

(i) Notwithstanding §60A-2-204(d) of this code, if an organic psilocybin substance or drug that contains the pharmaceutical composition of crystalline polymorph psilocybin, known as COMP360 or any such trade name approved by the United States Food and Drug Administration, is approved by the United States Food and Drug Administration and scheduled by the Drug Enforcement Administration, it shall be lawful to prescribe, distribute, and market based upon the recommendations of the United States Food and Drug Administration and the United States Drug Enforcement Administration.