WEST VIRGINIA LEGISLATURE

2025 REGULAR SESSION

Introduced

House Bill 3434

By Delegate Kelly

[By Request of the Department of Homeland Security

- West Virginia State Police]

[Introduced March 17, 2025; referred to the

Committee on the Judiciary]

- A BILL to amend and reenact §60A-2-204, §60A-2-206, §60A-2-208, §60A-2-210, and §60A-2-1
- 2 212 of the Code of West Virginia, 1931, as amended, relating to the controlled substance

3 schedules and to clean-up errors identified in the code sections.

Be it enacted by the Legislature of West Virginia:

ARTICLE 2. STANDARDS AND SCHEDULES.

	§60A-2-204.	Schedule	Ι.
1	(a) Schedule I shall cons	ist of the drugs and other substa	ances, by whatever official name,
2	common or usual name, chemica	Il name, or brand name designa	ted, listed in this section including
3	their isomers, esters, ethers, s	alts and salts of isomers, es	ters, and ethers, whenever the
4	existence of such isomers, est	ers, ethers, and salts is possi	ble within the specific chemical
5	designation.		
6	(b) Opiates.		
7	Acetyl-alpha-methylfenta	nyl(N-[1-(1-methyl-2-phenethyl)	-4-piperidinyl]-
8	phenylacetamide);		
9	Acetylmethadol;		
10	Allylprodine;		
11	Alphacetylmethadol (ex	ccept levoalphacetylmethadol	also known as levo-alpha-
12	acetylmethadol, levomethadyl ac	etate, or LAAM);	
13	Alphameprodine;		
14	Alphamethadol;		
15	Alpha-methylfentanyl (N	-[1-(alpha-methyl-beta-phenyl)	ethyl-4-piperidyl] propionanilide;
16	1-(1-methyl-2-phenylethyl)-4-((p	ropanilido) piperidine);	
17	Alpha-methylthiofentany	l (N-[1-methy	rl-2-(2-thienyl)ethyl-4-piperidinyl]-
18	phenylpropanamide);		
19	Benzethidine;		

Betacetylmethadol; 20

21	Beta-hydroxyfentanyl(N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-
22	phenylpropanamide);
23	Beta-hydroxy-3-methylfentanyl (other name: N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-
24	piperidinyl]-N-phenylpropanamide);
25	Betameprodine;
26	Betamethadol;
27	Betaprodine;
28	Brorphine (1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[d]imidazol-
29	<u>2-one);</u>
30	Clonitazene;
31	Dextromoramide;
32	Diampromide;
33	Diethylthiambutene;
34	Difenoxin;
35	Dimenoxadol;
36	Dimepheptanol;
37	Dimethylthiambutene;
38	Dioxaphetyl butyrate;
39	Dipipanone;
40	Ethylmethylthiambutene;
41	Etonitazene;
42	Etoxeridine;
43	Fentanyl analog or derivative, as that term is defined in article one of this chapter:
44	Provided, That fentanyl and carfentanil remains a Schedule II substance, as set forth in W. Va.
45	<u>Code §60A-2-206;</u>
46	Furethidine;

47	Hydroxypethidine;
48	Ketobemidone;
49	Levomoramide;
50	Levophenacylmorphan;
51	3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide);
52	3-methylthiofentanyl (N-[3-methyl-1-(2-thienyl) ethyl-4-piperidinyl]-phenylpropanamide);
53	Morpheridine;
54	N-Methylnorfentanyl (N-(1-Methyl-4-piperidinyl)-N-phenyl-propanamide,
55	monohydrochloride);
56	Norfentanyl (N-Phenyl-N-4-piperidinyl-propanamide);
57	MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
58	Noracymethadol;
59	Norlevorphanol;
60	Normethadone;
61	Norpipanone;
62	Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidinyl] propanamide);
63	PEPAP(1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
64	Phenadoxone;
65	Phenampromide;
66	Phenomorphan;
67	Phenoperidine;
68	Piritramide;
69	Proheptazine;
70	Properidine;
71	Propiram;
72	Racemoramide;

73	Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]-propanamide);
74	Tilidine;
75	Trimeperidine.
76	(c) Opium derivatives,
77	Acetorphine;
78	Acetyldihydrocodeine;
79	Benzylmorphine;
80	Codeine methylbromide;
81	Codeine-N-Oxide;
82	Cyprenorphine;
83	Desomorphine;
84	Dihydromorphine;
85	Drotebanol;
86	Etorphine (except HCl Salt);
87	Heroin;
88	Hydromorphinol;
89	Methyldesorphine;
90	Methyldihydromorphine;
91	Morphine methylbromide;
92	Morphine methylsulfonate;
93	Morphine-N-Oxide;
94	Myrophine;
95	Nicocodeine;
96	Nicomorphine;
97	Normorphine;
98	Pholcodine;

- 99 Thebacon.
- 100 (d) Hallucinogenic substances.
- 101 Alpha-ethyltryptamine; some trade or other names: etryptamine; Monase; alpha-ethy-1H-
- 102 indole-3-ethanamine; 3-(2- aminobutyl) indole; alpha-ET; and AET;
- 103 <u>1-(4-methoxyphenyl)-N-methylpropan-2-amine</u> (other names: para-
- 104 <u>methoxymethamphetamine, PMMA);</u>
- 4-bromo-2, 5-dimethoxy-amphetamine; some trade or other names: 4-bromo-2,5dimethoxy-alpha-methylphenethylamine; 4-bromo- 2,5-DMA;
- 4-Bromo-2,5-dimethoxyphenethylamine; some trade or other names: 2-(4-bromo-2,5dimethoxyphenyl)-1-aminoethane; alpha- desmethyl DOB; 2C-B, Nexus;
- 109 N-(2-Methoxybenzyl)-4-bromo-2, 5-dimethoxyphenethylamine. The substance has the
 110 acronym 25B-NBOMe;
- 111 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25C-NBOMe);
- 112 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25I-NBOMe);
- 113 2,5-dimethoxyamphetamine; some trade or other names: 2,5-dimethoxy-alpha-
- 114 methylphenethylamine; 2,5-DMA;
- 115 2,5-dimethoxy-4-ethylamphet-amine; some trade or other names: DOET;
- 116 2,5-dimethoxy-4-(n)-propylthiophenethylamine (other name: 2C-T-7);
- 117 4-methoxyamphetamine; some trade or other names: 4-methoxy-alpha-
- 118 methylphenethylamine; paramethoxyamphetamine; PMA;
- 119 3-Hydoxy-phencyclidine (other name hydroxy PCP);
- 120 5-methoxy-3, 4-methylenedioxy-amphetamine;
- 121 4-methyl-2,5-dimethoxy-amphetamine; some trade and other names: 4-methyl-2,5-
- 122 dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP";
- 123 3,4-methylenedioxy amphetamine;
- 124 3,4-methylenedioxymethamphetamine (MDMA);

2025R3882

125	3,4-methylenedioxy-N-ethylamphetamine (also known as (ethyl-alpha-methyl-3,4
126	(methylenedioxy) phenethylamine, N-ethyl MDA, MDE, MDEA);
127	N-hydroxy-3,4-methylenedioxyamphetamine (also known as (hydroxy-alpha-methyl-3,4
128	(methylenedioxy) phenethylamine, and (hydroxy MDA);
129	3,4,5-trimethoxy amphetamine;
130	5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
131	Alpha-methyltryptamine (other name: AMT);
132	Bufotenine; some trade and other names: 3-(beta-Dimethylaminoethyl)-5-
133	hydroxyindole;3-(2-dimethylaminoethyl) -5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-
134	dimethyltryptamine; mappine;
135	Diethyltryptamine; sometrade and other names: N, N-Diethyltryptamine; DET;
136	Dimethyltryptamine; some trade or other names: DMT;
137	5-Methoxy-N,N-disopropyltryptamine (5-MeO-DIPT);
138	Ibogaine; some trade and other names: 7-Ethyl-6, 6 Beta, 7, 8, 9, 10, 12, 13-octahydro-2-
139	methoxy-6, 9-methano-5H- pyrido [1', 2': 1, 2] azepino [5,4-b] indole; Tabernanthe iboga;
140	Lysergic acid diethylamide;
141	Marihuana; Marijuana (Cannabis, sp.);
142	Mescaline;
143	Parahexyl-7374; some trade or other names: 3-Hexyl -1-hydroxy-7, 8, 9, 10-tetrahydro-6,
144	6, 9-trimethyl-6H-dibenzo [b,d] pyran; Synhexyl;
145	Peyote; meaning all parts of the plant presently classified botanically as Lophophora
146	williamsii Lemaire, whether growing or not, the seeds thereof, any extract from any part of such
147	plant, and every compound, manufacture, salts, immediate derivative, mixture, or preparation of
148	such plant, its seeds or extracts;

149 N-ethyl-3-piperidyl benzilate;

150 N-methyl-3-piperidyl benzilate;

151	Psilocybin;
152	Psilocyn;
153	Tetrahydrocannabinols; synthetic equivalents of the substances contained in the plant, or
154	in the resinous extractives of Cannabis, sp. and/or synthetic substances, immediate derivatives
155	and their isomers with similar chemical structure and pharmacological activity including, but not
156	limited to the following:
157	delta-1 Cis or trans tetrahydrocannabinol, and their optical isomers;
158	delta-6 Cis or trans tetrahydrocannabinol, and their optical isomers;
159	delta-3,4 Cis or trans tetrahydrocannabinol, and its optical isomers;
160	delta-8 Cis or trans tetrahydrocannabinol and its optical isomers; and
161	delta-10 Cis or trans tetrahydrocannabinol and its optical isomers;
162	(Since nomenclature of these substances is not internationally standardized, compounds
163	of these structures, regardless of numerical designation of atomic positions covered.)
164	Delta-8-tetrahydrocannabinol-O (delta-8-THC-0), Delta-9-tetrahydrocannabinol (delta-9-
165	THC-0) and Synthetic and non-naturally occurring cannabinoids.
166	The provisions of this section related to tetrahydrocannabinols are inapplicable to
167	products or substances lawfully manufactured, distributed, or possessed under the provisions of \S
168	19-12E-1 et seq. and Chapter 16H of this code.
169	Ethylamine analog of phencyclidine; some trade or other names: N-ethyl-1-
170	phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine,
171	cyclohexamine, PCE;
172	Pyrrolidine analog of phencyclidine; some trade or other names: 1-(1-phenylcyclohexyl)-
173	pyrrolidine, PCPy, PHP;
174	Thiophene analog of phencyclidine; some trade or other names: 1-[1-(2-thienyl)-
175	cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine; TPCP, TCP;
176	1[1-(2-thienyl)cyclohexyl]pyrroldine; some other names: TCPy;

2025R3882

177	4-methylmethcathinone (Mephedrone);
178	3,4-methylenedioxypyrovalerone (MDPV);
179	2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
180	2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);
181	2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
182	2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
183	2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2);
184	2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);
185	2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
186	2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
187	2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
188	3,4-Methylenedioxy-N-methylcathinone (Methylone);
189	2,5-dimethoxy-4-(n)-propyltghiophenethylamine (2C-T-7, itsoptical isomers, salts and
190	salts of isomers;
191	5-methoxy-N,N-dimethyltryptamine some trade or other names: 5-methoxy-3-[2-
191 192	5-methoxy-N,N-dimethyltryptamine some trade or other names: 5-methoxy-3-[2- (dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT);
192	(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT);
192 193	(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT);
192 193 194	(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT); 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT);
192 193 194 195	(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT); 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT); Synthetic Cannabinoids as follows:
192 193 194 195 196	(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT); 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT); Synthetic Cannabinoids as follows: 2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol) { also known as CP
192 193 194 195 196 197	(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT); 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT); Synthetic Cannabinoids as follows: 2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol) { also known as CP 47,497 and homologues} ;
192 193 194 195 196 197 198	<pre>(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT); 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT); Synthetic Cannabinoids as follows: 2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol) { also known as CP 47,497 and homologues} ; rel-2-[(1S,3R)-3-hydroxycyclohexyl] -5-(2-methylnonan-2-yl)phenol { also known as CP</pre>
192 193 194 195 196 197 198 199	<pre>(dimethylamino)ethyl]indole; 5-MeO-DMT(5-MeO-DMT); Alpha-methyltryptamine (other name: AMT); 5-methoxy-N,N-diisopropyltryptamine (other name: 5-MeO-DIPT); Synthetic Cannabinoids as follows: 2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol) { also known as CP 47,497 and homologues} ; rel-2-[(1S,3R)-3-hydroxycyclohexyl] -5-(2-methylnonan-2-yl)phenol { also known as CP 47,497-C8 homolog} ;</pre>

2025R3882

203	(6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-
204	tetrahydrobenzol[c]chromen-1-ol) { also known as HU-211} ;
205	1-Pentyl-3-(1-naphthoyl)indole { also known as JWH-018} ;
206	1-Butyl-3-(1-naphthoyl)indole { also known as JWH-073} ;
207	(2-methyl-1-propyl-1H-indol-3-yl)-1-napthalenyl-methanone { also known as JWH-015} ;
208	(1-hexyl-1H-indol-3-yl)-1-naphthalenyl-methanone { also known as JWH-019} ;
209	[1-[2-(4-morpholinyl) ethyl] -1H-indol-3-yl]-1-naphthalenyl-methanone { also known as
210	JWH-200} ;
211	1-(1-pentyl-1H-indol-3-yl)-2-(3-hydroxyphenyl)-ethanone { also known as JWH-250} ;
212	2-((1S,2S,5S)-5-hydroxy-2-(3-hydroxtpropyl)cyclohexyl) -5-(2-methyloctan-2-yl)phenol {
213	also known as CP 55,940} ;
214	(4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl)-methanone { also known as JWH-
215	122};
216	(4-methyl-1-naphthalenyl) (1-pentyl-1H-indol-3-yl)-methanone { also known as JWH-398;
217	(4-methoxyphenyl)(1-pentyl-1H-indol-3-yl)methanone { also known as RCS-4} ;
218	1-(1-(2-cyclohexylethyl) -1H-indol-3-yl) -2-(2-methoxyphenyl) ethanone { also known as
219	RCS-8} ;
220	1-pentyl-3-[1-(4-methoxynaphthoyl)]indole (JWH-081);
221	1-(5-fluoropentyl)-3-(1-naphthoyl)indole (AM2201); and
222	1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole (AM694).
223	Synthetic cannabinoids:
224	CP 47,497 AND homologues, 2-[(1R,3S)-3-Hydroxycyclohexyl]-5-(2-methyloctan-2-
225	YL)phenol);
226	HU-210, [(6AR,10AR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-Methyloctan-2-YL)-6A,7,10,
227	10A-tetrahydrobenzo[C] chromen-1-OL)];
000	LUL 244 (deven a bin al. (CAC 40AC) O (bud as a method) C C Directle d C (C methods a test of a

228 HU-211, (dexanabinol, (6AS,10AS)-9-(hydroxymethyl)-6,6-Dimethyl-3-(2-methyloctan-2-

2025R3882

229	YL)-6A,7,10,10atetrahydrobenzo[C]chromen-1-OL);
230	JWH-018, 1-pentyl-3-(1-naphthoyl)indole;
231	JWH-019, 1-hexyl-3-(1-naphthoyl)indole;
232	JWH-073, 1-butyl-3-(1-naphthoyl)indole;
233	JWH-200, (1-(2-morpholin-4-ylethyl)indol-3-yl)- Naphthalen-1-ylmethanone;
234	JWH-250, 1-pentyl-3-(2-methoxyphenylacetyl)indole.]
235	Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (5F-
236	ADB);
237	Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
238	Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (FUB-
239	AMB);
240	N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA);
241	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide
242	(ADB-FUBINACA);
242 243	(ADB-FUBINACA); Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate
243	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate
243 244	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA);
243 244 245	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA); Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-
243 244 245 246	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA); Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB- FUBINACA);
243 244 245 246 247	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA); Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB- FUBINACA); Tetrahydrocannabinols:
243 244 245 246 247 248	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA); Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-FUBINACA); FUBINACA); Tetrahydrocannabinols: DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers.
243 244 245 246 247 248 249	Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA); Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-FUBINACA); FUBINACA); Tetrahydrocannabinols: DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers. DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.
243 244 245 246 247 248 249 250	Methyl2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate(MDMB-CHMICA);Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-FUBINACA);Tetrahydrocannabinols:DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers.DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.
243 244 245 246 247 248 249 250 251	Methyl2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate(MDMB-CHMICA);Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-FUBINACA);Tetrahydrocannabinols:DELTA-1 CIS OR trans tetrahydrocannabinol and their Optical isomers.DELTA-6 CIS OR trans tetrahydrocannabinol and their optical isomers.DELTA-3,4 CIS or their trans tetrahydrocannabinol and their optical isomers.Synthetic Phenethylamines

255	NBOMe);
256	2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25B-NBOMe/ 2C-B-
257	NBOMe);
258	Synthetic Opioids (including their isomers, esters, ethers, salts and salts of isomers, esters
259	and ethers):
260	N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (acetyl fentanyl);
261	furanyl fentanyl;
262	3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also known as U-
263	47700);
264	N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, also known as N-(1-
265	phenethylpiperidin-4-yl)-N-phenylbutanamide, (butyryl fentanyl);
266	N-[1-[2-hydroxy-2-(thiophen-2-yl)ethylpiperidin-4-yl]-N-phenylpropionamide, also known
267	as N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide, (beta-
268	hydroxythiofentanyl);
268 269	hydroxythiofentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl);
269	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl);
269 270	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl);
269 270 271	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl);
269 270 271 272	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl); 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide
269 270 271 272 273	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl); 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide (also known as U-48800);
269 270 271 272 273 274	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl); 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide (also known as U-48800); Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as
269 270 271 272 273 274 275	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl); 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide (also known as U-48800); Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as U-49900);
269 270 271 272 273 274 275 276	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl); 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide (also known as U-48800); Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as U-49900); Trans-3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methyl-benzeneacetamide (also
269 270 271 272 273 274 275 276 277	N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide (acryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl); N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide (cyclopropyl fentanyl); 2-(2,4-dichlorophenyl)-N-((1S,2S)-2-(dimethylamino)cyclohexyl)-N-methylacetamide (also known as U-48800); Trans-3,4-dichloro-N-[2-(diethylamino)cyclohexyl]-N-methyl-benzamide (also known as U-49900); Trans-3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methyl-benzeneacetamide (also known as U-51754);

281	N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine
282	(flunitazene);
283	N,N-diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine
284	(metodesnitazene);
285	N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine
286	(metonitaze);
287	2-(4-ethoxybenzyl)5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 H-benzimidazole (N-pyrrolidino
288	eto <u>n</u> itazene, etonitazepyne);
289	N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine
290	(protonitazene);
291	N-pyrrolidino etonitazene;
292	Etodesnitazene;
293	Isotonitazene;
294	Protonitazene;
295	Metonitazene;
296	Butonitazene;
297	Metodesnitazene;
298	Flunitazene;
299	Opioid Receptor Agonist
300	2-Methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-yl)piperazin-1-yl)butan-1-one)
301	AH-7921 (3,4-dichloro-N-(1dimethylamino)cyclohexylmethyl]benzamide).
302	Naphthoylindoles or any compound containing a 3-(-1-Napthoyl) indole structure with
303	substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole
304	ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall
305	include the following:
306	

306 JWH 015;

- 307 JWH 018;
- 308 JWH 019;
- 309 JWH 073;
- 310 JWH 081;
- 311 JWH 122;
- 312 JWH 200;
- 313 JWH 210;
- 314 JWH 398;
- 315 AM 2201; and
- 316 WIN 55,212.

317 Naphylmethylindoles or any compound containing a 1hindol-3-yl-(1-naphthyl) methane 318 structure with a substitution at the nitrogen atom of the indole ring whether or not further 319 substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to 320 any extent. This shall include, but not be limited to, JWH 175 and JWH 184.

Naphthoylpyrroles or any compound containing a 3-(1- Naphthoyl) pyrrole structure with substitution at the nitrogen atom of the pyrrole ring whether or not further substituted in the pyrrole ring to any extent and whether or not substituted in the naphthyl ring to any extent. This shall include, but not be limited to, JWH 147 and JWH 307.

325 Naphthylmethylindenes or any compound containing a Naphthylideneindene structure 326 with substitution at the 3- Position of the indene ring whether or not further substituted in the 327 indene ring to any extent and whether or not substituted in the naphthyl ring to any extent. This 328 shall include, but not be limited to, JWH 176.

329 Phenylacetylindoles or any compound containing a 3- Phenylacetylindole structure with 330 substitution at the nitrogen atom of the indole ring whether or not further substituted in the indole 331 ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include 332 the following:

R-18 OR BTM-8;

334 JWH 250;

- 335 JWH 203;
- 336 JWH 251; and
- 337 JWH 302.

338 Cyclohexylphenols or any compound containing a 2-(3-hydroxycyclohexyl) phenol 339 structure with a substitution at the 5-position of the phenolic ring whether or not substituted in the 340 cyclohexyl ring to any extent. This shall include the following:

- 341 CP 47,497 and its homologues and analogs;
- 342 Cannabicyclohexanol; and
- 343 CP 55,940.

Benzoylindoles or any compound containing a 3-(benzoyl) indole structure with substitution at the nitrogren atom of the indole ring whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent. This shall include the following:

- 348 AM 694;
- 349 Pravadoline WIN 48,098;
- 350 RCS 4; and
- 351 AM 679.

352 [2,3-dihydro-5 methyl-3-(4-morpholinylmethyl)pyrrolo [1,2,3-DE]-1, 4-benzoxazin-6-YL]-1 353 napthalenymethanone. This shall include WIN 55,212-2.

Dibenzopyrans or any compound containing a 11-hydroxydelta 8-tetrahydrocannabinol structure with substitution on the 3-pentyl group. This shall include HU-210, HU-211, JWH 051, and JWH 133.

357 Adamantoylindoles or any compound containing a 3-(-1-Adamantoyl) indole structure with 358 substitution at the nitrogen atom of the indole ring whether or not further substituted in the

359	adamantoyl ring system to any extent. This shall include AM1248.			
360	Tetramethylcyclopropylindoles or any compound containing A 3-			
361	tetramethylcyclopropylindole structure with substitution at the nitrogen atom of the indole ring			
362	whether or not further substituted in the indole ring to any extent and whether or not substituted in			
363	the tetramethylcyclopropyl ring to any extent. This shall include UR-144 and XLR-11.			
364	N-(1-Adamantyl)-1-pentyl-1h-indazole-3-carboxamide. This shall include AKB48.			
365	Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as			
366	demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, and			
367	V, not federal Food and Drug Administration approved drug or used within legitimate, approved			
368	medical research. Since nomenclature of these substances is not internationally standardized,			
369	any immediate precursor or immediate derivative of these substances shall be covered.			
370	Tryptamines:			
371	5-methoxy-N-methyl-N-isopropyltryptamine (5-MeO-MiPT);			
372	4-hydroxy-N,N-diisopropyltryptamine (4-HO-DiPT);			
373	4-hydroxy-N-methyl-N-isopropyltryptamine (4-HO-MiPT);			
374	4-hydroxy-N-methyl-N-ethyltryptamine (4-HO-MET);			
375	4-acetoxy-N,N-diisopropyltryptamine (4-AcO-DiPT);			
376	5-methoxy-α-methyltryptamine (5-MeO-AMT);			
377	4-methoxy-N,N-Dimethyltryptamine (4-MeO-DMT);			
378	4-hydroxy Diethyltryptamine (4-HO-DET);			
379	5-methoxy-N,N-diallyltryptamine (5-MeO-DALT);			
380	4-acetoxy-N,N-Dimethyltryptamine (4-AcO DMT);			
381	4-hydroxy Diethyltryptamine (4-HO-DET);			
382	FDU-PB-22 (1-Naphthyl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate);			
383	FUB-PB-22 (Quinolin-8-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate);			
384	5-Fluoro-MN-24 (1-(5-Fluoropentyl)-N-(naphthalen-1-yl)-1H-indole-3-carboxamide);			

2025R3882

385	MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);			
386	SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);			
387	SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);			
388	Methyl-Ethylaminopentiophenone;			
389	FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);			
390	5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);			
391	5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-			
392	carboxamide);			
393	MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-			
394	methylbutanoat);			
395	MN-24 (N-(naphthalen-1-yl)-1-pentyl-1H-indole-3-carboxamide);			
396	SDB-005 (Naphthalen-1-yl 1-pentyl-1H-indazole-3-carboxylate);			
397	SDB-006 (1-Pentyl-N-(phenylmethyl)-1H-indole-3-carboxamide);			
398	Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);			
399	Methyl-Ethylaminopentiophenone;			
400	FUB-AMB (Methyl(1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate);			
401	5-Fluoro-SDB-005 Indole (Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate);			
402	5F-AB-PINACA (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-			
403	carboxamide);			
404	MMB-CHMICA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3-			
405	methylbutanoat);			
406	Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);			
407	Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3-			
408	a][1,4]benzodiazepine);			
409	Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-			
410	benzodiazepin-2-one);			
-				

411	Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-			
412	a][1,4]diazepine);			
413	Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3			
414	a][1,4]benzodiazepine);			
415	Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);			
416	Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-			
417	a][1,4]benzodiazepine);			
418	Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-			
419	a][1,4]diazepine);			
420	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-			
421	one) ;			
422	Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); and			
423	Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-			
424	a][1,4]benzodiazepine).			
425	(e) Depressants.			
426	4-CN-CUMYL-BUTINACA (1-(4-Cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-			
427	carboxamide);			
428	Alpha-Phenylacetoacetonitrile (3-Oxo-2-phenylbutanenitrile);			
429	2-Fluoro Deschloroketamine (2-(2-Fluorophenyl)-2-(methylamino)-cyclohexanone,			
430	monohydrochloride);			
431	4-MEAP (2-(Ethylamino)-1-(4-methylphenyl)pentan-1-one);			
432	Mecloqualone;			
433	Methaqualone;			
434	Bromazolam (8-bromo-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);			
435	Clonazolam (6-(2-chlorophenyl)-1-methyl-8-nitro-4 H-[1,2,4]triazolo[4,3			
436	a][1,4]benzodiazepine);			

437	Cloniprazepam (5-(2-chlorophenyl)-1-(cyclopropylmethyl)-1,3-dihydro-7-nitro-2H-1,4-			
438	benzodiazepin-2-one);			
439	Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f] [1,2,4]triazolo[4,3-			
440	a][1,4]diazepine);			
441	Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-			
442	a][1,4]benzodiazepine);			
443	Flubromazepam (7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one);			
444	Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-			
445	a][1,4]benzodiazepine);			
446	Flunitrazolam (6-(2-fluorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-			
447	a][1,4]diazepine);			
448	gamma-hydroxybutyric acid (some other names include GHB; gamma-hydroxybutyrate; 4-			
449	hydroxybutyrate; 4-hydroxybutanoic acid; sodium oxybate; sodium oxybutyrate);			
450	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2-			
450 451	Nifoxipam (5-(2-fluorophenyl)-1,3-dihydro-3-hydroxy-7-nitro-2H-1,4-benzodiazepin-2- one);			
451	one);			
451 452	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);			
451 452 453	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-			
451 452 453 454	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine);			
451 452 453 454 455	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3- a][1,4]benzodiazepine); Declazepam Diclazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-			
451 452 453 454 455 456	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3- a][1,4]benzodiazepine); Declazepam Diclazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4- benzodiazepin-2-one); and			
451 452 453 454 455 456 457	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3- a][1,4]benzodiazepine); Declazepam Diclazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4- benzodiazepin-2-one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-			
451 452 453 454 455 456 457 458	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3- a][1,4]benzodiazepine); Declazepam Diclazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4- benzodiazepin-2-one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3- a][1,4]diazepine);			
451 452 453 454 455 456 457 458 459	one); Nitrazolam (1-methyl-8-nitro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine); Pyrazolam (8-bromo-1-methyl-6-(2-pyridinyl)-4H-[1,2,4]triazolo[4,3- a][1,4]benzodiazepine); Declazepam Diclazepam (7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4- benzodiazepin-2-one); and Deschloroetizolam (2-Ethyl-9-methyl-4-phenyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3- a][1,4]diazepine); (f) Stimulants.			

463 <u>oxazolamine; 4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine);</u>

464 Cathinone; some trade or other names: 2-amino-1-phenyl-1-propanone, alpha-465 aminopropiophenone, 2-aminopropiophenone and norephedrone;

466 <u>Ethylphenidate (ethyl 2-phenyl-2-(piperidin-2-yl)acetate);</u>

467 Fenethylline;

468 Mesocarb (*N*-phenyl-*N*'-(3-(1-phenylpropan-2-yl)-1,2,3-oxadiazol-3-ium-5-

469 <u>yl)carbamimidate);</u>

470 Methcathinone, its immediate precursors and immediate derivatives, its salts, optical 471 isomers and salts of optical isomers; some other names: (2-(methylamino)-propiophenone; alpha-472 (methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1-one; alpha-473 methylaminopropiophenone; monomethylpropion; 3,4-methylenedioxypyrovalerone and/or 474 mephedrone;3,4-methylenedioxypyrovalerone (MPVD); ephedrone; N-methylcathinone; 475 methylcathinone; AL-464; AL-422; AL-463 and UR1432;

476 (+-) cis-4-methylaminorex; ((+-)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine);

477 N-ethylamphetamine;

478 N,N-dimethylamphetemine; also known as N,N-alpha-trimethyl-benzeneethanamine;

479 N,N-alpha-trimethylphenethylamine;

480 Alpha-pyrrolidinopentiophenone, also known as alpha-PVP, optical isomers, salts and 481 salts of isomers;

482 Substituted amphetamines:

483 2-Fluoroamphetamine;

- 484 3-Fluoroamphetamine;
- 485 4-Fluoroamphetamine;
- 486 2-chloroamphetamine;
- 487 3-chloroamphetamine;
- 488 4-chloroamphetamine;

489	2-Fluoromethamphetamine;
490	3-Fluoromethamphetamine;
491	4-Fluoromethamphetamine;
492	4-chloromethamphetamine;
493	Ethcathinone (2-(ethylamino)-1-phenyl-1-propanone, monohydrochloride);
494	Alpha-PHP (1-Phenyl-2-(pyrrolidin-1-yl)hexan-1-one);
495	MPHP (1-(4-Methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);
496	PV8 (1-Phenyl-2-(pyrrolidin-1-yl)heptan-1-one);
497	4-Chloro-Alpha-PVP (1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);
498	N-Ethylhexedrone (2-(Ethylamino)-1-phenylhexan-1-one);
499	Methoxetamine (2-(Ethylamino)-2-(3-methoxyphenyl)-cyclohexanone); and
500	3-Fluorophenmetrazine (2-(3-Fluorophenyl)-3-methylmorpholine);
501	(g) Temporary listing of substances subject to emergency scheduling. Any material,
502	compound, mixture, or preparation which contains any quantity of the following substances:
503	N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), its optical isomers, salts,
504	and salts of isomers;
505	N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), its optical
506	isomers, salts, and salts of isomers.
507	N-benzylpiperazine, also known as BZP;
508	Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);
509	4-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]-
510	butyramide);
511	Isobutyryl fentanyl (2-methyl-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-propanamide);
512	Methoxyacetyl fentanyl (2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-
513	acetamide);
514	3-methylbutyryl fentanyl (N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-N-

515 phenylbutyramide);

516 4-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-517 yl)butyramide);

518 Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]-acetamide);

519 Tetrahydrofuran fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-

520 carboxamide); and

521 Valeryl fentanyl (N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]pentanamide).

522 (h) The following controlled substances are included in Schedule I:

523 Synthetic Cathinones or any compound, except bupropion or compounds listed under a 524 different schedule, or compounds used within legitimate and approved medical research, 525 structurally derived from 2-Aminopropan-1-one by substitution at the 1-position with Monocyclic or 526 fused polycyclic ring systems, whether or not the compound is further modified in any of the 527 following ways:

528 By substitution in the ring system to any extent with Alkyl, alkylenedioxy, alkoxy, haloalkyl, 529 hydroxyl, or halide Substituents whether or not further substituted in the ring system by one or 530 more other univalent substituents;

531 By substitution at the 3-position with an acyclic alkyl substituent;

532 By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl 533 groups;

534 By inclusion of the 2-amino nitrogen atom in a cyclic structure; or

535 Any other synthetic chemical compound that is a Cannabinoid receptor type 1 agonist as 536 demonstrated by binding studies and functional assays that is not listed in Schedules II, III, IV, and 537 V, not federal Food and Drug Administration approved drug or used within legitimate, approved 538 medical research.

§60A-2-206. Schedule II. 1 (a) Schedule II consists of the drugs and other substances, by whatever official name,

common or usual name, chemical name or brand name designated, listed in this section. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances, including their isomers, esters, ethers, salts and salts of isomers, esters, and ethers, whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation.

(b) Substances, vegetable origin or chemical synthesis. — Unless specifically excepted or
unless listed in another schedule, any of the following substances whether produced directly or
indirectly by extraction from substances of vegetable origin, or independently by means of
chemical synthesis, or by a combination of extraction and chemical synthesis:

11 Opium and opiate, and any salt, compound, derivative, or preparation of opium or opiate 12 excluding apomorphine, thebaine-derived butorphanol, dextrorphan, nalbuphine, nalmefene, 13 naloxone and naltrexone, and their respective salts, but including the following:

- 14 Raw opium;
- 15 Opium extracts;
- 16 Opium fluid;
- 17 Powdered opium;
- 18 Granulated opium;
- 19 Tincture of opium;
- 20 Codeine;
- 21 Dihydroetorphine;
- 22 Ethylmorphine;
- 23 Etorphine hydrochloride;
- 24 Hydrocodone;
- 25 Hydromorphone;
- 26 Metopon;
- 27 Morphine;

- 28 Oripavine;
- 29 Oxycodone;
- 30 Oxymorphone; and
- 31 Thebaine;

Any salt, compound, derivative, or preparation thereof which is chemically equivalent or identical with any of the substances referred to in subdivision (1) of this subsection, except that these substances shall not include the isoquinoline alkaloids of opium;

35 Opium poppy and poppy straw;

Coca leaves and any salt, compound, derivative, or preparation of coca leaves (including cocaine and ecgonine and their salts, isomers, derivatives, and salts of isomers and derivatives), and any salt, compound, derivative or preparation thereof which is chemically equivalent or identical with any of these substances, except that the substances shall not include decocainized coca leaves or extractions of coca leaves, which extractions do not contain cocaine or ecgonine; Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy).

- 43 (c) Opiates.
- 44 Alfentanil;
- 45 Alphaprodine;
- 46 Anileridine;
- 47 Bezitramide;
- 48 Bulk dextropropoxyphene (nondosage forms);
- 49 Carfentanil;
- 50 Dihydrocodeine;
- 51 Diphenoxylate;
- 52 Fentanyl;
- 53 Isomethadone;

54	Levo-alphacetylmethadol; some other names: levo-alpha-acetylmethadol, levomethadyl		
55	acetate, LAAM;		
56	Levomethorphan;		
57	Levorphanol;		
58	Metazocine;		
59	Methadone;		
60	Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;		
61	Moramide-Intermediate, 2-methyl-3-morpholino-1;		
62	Norfentanyl;		
63	Oliceridine;		
64	1-diphenylpropane-carboxylic acid;		
65	Pethidine; (meperidine);		
66	Pethidine-Intermediate-A, 4-cyano-1-methyl-4- phenylpiperidine;		
67	Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;		
68	Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;		
69	Phenazocine;		
70	Piminodine;		
71	Racemethorphan;		
72	Racemorphan;		
73	Remifentanil;		
74	Sufentanil;		
75	Tapentadol; and		
76	Thiafentanil (4-(methoxycarbonyl)-4-(N-phenmethoxyacetamido)-1-2-		
77	(thienyl)ethylpiperidine), including its isomers, esters, ethers, salts and salts of isomers, esters		
78	and ethers.		
79	(d) Stimulants.		

80	Amphetamine, its salts, optical isomers, and salts of its optical isomers;
81	Methamphetamine, its salts, isomers, and salts of its isomers;
82	Methylphenidate;
83	Phenmetrazine and its salts; and
84	Lisdexamfetamine.
85	(e) Depressants.
86	Amobarbital;
87	Glutethimide;
88	Pentobarbital;
89	Phencyclidine; and
90	Secobarbital.
91	(f) Hallucinogenic substances:
92	Dronabinol [(-)-delta-9-trans tetrahydrocannabinol] if in an FDA approved oral solution;
93	and
94	Nabilone: [Another name for nabilone: (-)-trans-3-(1, 1-dimethylheptyl)-6, 6a, 7, 8, 10,
95	10a-hexahydro-1-hydroxy-6, 6-dimethyl-9H-dibenzo [b,d] pyran-9-one].
96	(g) Immediate precursors. Unless specifically excepted or unless listed in another
97	schedule, any material, compound, mixture, or preparation which contains any quantity of the
98	following substances:
99	Immediate precursor to amphetamine and methamphetamine:
100	Phenylacetone;
101	Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl
102	benzyl ketone;
103	Immediate precursors to phencyclidine (PCP):
104	1-phenylcyclohexylamine; and
105	1-piperidinocyclohexanecarbonitrile (PCC).

107

106 Immediate precursor to fentanyl:

4-anilino-N-phenethyl-4-piperidine (ANPP).

§60A-2-208.	Schedule	III.

(a) Schedule III consists of the drugs and other substances, by whatever official name,
 common or usual name, chemical name or brand name designated, listed in this section.

(b) Stimulants. -- Unless specifically excepted or unless listed in another schedule, any
material, compound, mixture or preparation which contains any quantity of the following
substances having a stimulant effect on the central nervous system, including its salts, isomers
(whether optical, position or geometric) and salts of such isomers whenever the existence of the
salts, isomers and salts of isomers is possible within the specific chemical designation:

8 (1) Those compounds, mixtures or preparations in dosage unit form containing any 9 stimulant substances listed in Schedule II which compounds, mixtures or preparations were listed 10 on August 25, 1971, as excepted compounds under 21 C.F.R. §1308.32, and any other drug of the 11 quantitative composition shown in that list for those drugs or which is the same except that it 12 contains a lesser quantity of controlled substances;

13 (2) Benzphetamine;

- 14 (3) Chlorphentermine;
- 15 (4) Clortermine;
- 16 (5) Phendimetrazine.

(c) Depressants. -- Unless specifically excepted or unless listed in another schedule, any
 material, compound, mixture or preparation which contains any quantity of the following
 substances having a depressant effect on the central nervous system:

- 20 (1) Any compound, mixture or preparation containing:
- 21 (A) Amobarbital;

22 (B) Secobarbital;

23 (C) Pentobarbital; or any salt of pentobarbital and one or more other active medicinal

24	ingredients which are not listed in any schedule;
25	(2) Any suppository dosage form containing:
26	(A) Amobarbital;
27	(B) Secobarbital;
28	(C) Pentobarbital; or any salt of any of these drugs and approved by the food and drug
29	administration for marketing only as a suppository;
30	(3) Any substance which contains any quantity of a derivative of barbituric acid or any salt
31	of barbituric acid;
32	(4) Aprobarbital;
33	(5) Butabarbital (secbutabarbital);
34	(6) Butalbital (including, but not limited to, Fioricet);
35	(7) Butobarbital (butethal);
36	(8) Chlorhexadol;
37	(9) Embutramide;
38	(10) Gamma Hydroxybutryic Acid preparations;
39	(11) Ketamine, its salts, isomers and salts of isomers [Some other names for ketamine: (+-
40)-2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone];
41	(12) Lysergic acid;
42	(13) Lysergic acid amide;
43	(14) Methyprylon;
44	(15) Perampanel, and its salts, isomers, and salts of isomers;
45	(15)(16) Sulfondiethylmethane;
46	(16)(17) Sulfonethylmethane;
47	(17)<u>(18)</u> Sulfonmethane;
48	(18)<u>(19)</u> Thiamylal;
49	(19)<u>(</u>20) Thiopental;

50	(20) (<u>21)</u> Tiletamine and zolazepam or any salt of tiletamine and zolazepam; some trade or
51	other names for a tiletamine-zolazepam combination product: Telazol; some trade or other names
52	for tiletamine: 2-(ethylamino)-2-(2-thienyl)-cyclohexanone; some trade or other names for
53	zolazepam: 4-(2-flurophenyl)-6, 8-dihydro-1, 3, 8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-
54	one, flupyrazapon; and

55 (<u>21)(22)</u> Vinbarbital.

56 (d) Nalorphine.

57 (e) Narcotic drugs. -- Unless specifically excepted or unless listed in another schedule:

(1) Any material, compound, mixture or preparation containing any of the following narcotic
drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set
forth below:

(A) Not more than 1.8 grams of codeine per 100 milliliters and not more than 90 milligrams
per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of opium;

(B) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 milligrams
per dosage unit, with one or more active, nonnarcotic ingredients in recognized therapeutic
amounts;

66 (C) Not more than 1.8 grams of dihydrocodeine per 100 milliliters and not more than 90 67 milligrams per dosage unit, with one or more active, nonnarcotic ingredients in recognized 68 therapeutic amounts;

(D) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more than 15
 milligrams per dosage unit, with one or more active, nonnarcotic ingredients in recognized
 therapeutic amounts;

(E) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more
 than 25 milligrams per dosage unit, with one or more active, nonnarcotic ingredients in recognized
 therapeutic amounts;

75

(F) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams, with one

or more active, nonnarcotic ingredients in recognized therapeutic amounts.

(2) Any material, compound, mixture or preparation containing buprenorphine or its salts(including, but not limited to, Suboxone).

(f) Anabolic steroids. -- Unless specifically excepted or unless listed in another schedule,
any material, compound, mixture, or preparation containing any quantity of anabolic steroids,
including its salts, isomers and salts of isomers whenever the existence of the salts of isomers is
possible within the specific chemical designation.

83 (g) Human growth hormones.

(h) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a
United States food and drug administration approved drug product. (Some other names for
dronabinol: (6aR-trans)-6a, 7, 8, 10a- tetrahydro-6, 6, 9-trimethyl-3-pentyl-6H-dibenzo [b,d] pyran1- ol or (-)-delta-9-(trans)-tetrahydrocannabinol).

(i) Human chorionic gonadotropin, except when used for injection or implantation in cattle
or any other nonhuman species and when that use is approved by the Food and Drug
Administration.

§60A-2-210. Schedule IV.

(a) Schedule IV shall consist of the drugs and other substances, by whatever official name,
common or usual name, chemical name, or brand name designated, listed in this section. Unless
specifically excepted or unless listed in another schedule, any material, compound, mixture, or
preparation which contains any quantity of the following substances, including their isomers,
esters, ethers, salts and salts of isomers, esters, and ethers, whenever the existence of such
isomers, esters, ethers, and salts is possible within the specific chemical designation.

(b) Narcotic drugs. — Unless specifically excepted or unless listed in another schedule,
any material, compound, mixture, or preparation containing any of the following narcotic drugs, or
their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth
below:

11	Not more than 1 milligram	n of difenoxin an	d not less than 25 micrograms of atropine sulfate
12	per dosage unit; and		
13	Dextropropoxyphene	(alpha-()-4-dimethylamino-1,2-diphenyl-3-methyl-2-
14	propionoxybutane).		
15	(c) Depressants.		
16	<u>Alfaxalone;</u>		
17	Alprazolam;		
18	Barbital;		
19	Bromazepam;		
20	Camazepam;		
21	Carisoprodol;		
22	Chloral betaine;		
23	Chloral hydrate;		
24	Chlordiazepoxide;		
25	Clobazam;		
26	Clonazepam;		
27	Clorazepate;		
28	Clotiazepam;		
29	Cloxazolam;		
30	<u>Daridorexant;</u>		
31	Delorazepam;		
32	Diazepam;		
33	Dichloralphenazone;		
34	Estazolam;		
35	Ethchlorvynol;		
36	Ethinamate;		

- 37 Ethyl loflazepate;
- 38 Fludiazepam;
- 39 Flunitrazepam;
- 40 Flurazepam;
- 41 Fospropofol;
- 42 Halazepam;
- 43 Haloxazolam;
- 44 Ketazolam;
- 45 Lemborexant.
- 46 Loprazolam;
- 47 Lorazepam;
- 48 Lormetazepam;
- 49 Mebutamate;
- 50 Medazepam;
- 51 Meprobamate;
- 52 Methohexital;
- 53 Methylphenobarbital (mephobarbital);
- 54 Midazolam;
- 55 Nimetazepam;
- 56 Nitrazepam;
- 57 Nordiazepam;
- 58 Oxazepam;
- 59 Oxazolam;
- 60 Paraldehyde;
- 61 Petrichloral;
- 62 Phenobarbital;

- 63 Pinazepam;
- 64 Prazepam;
- 65 Quazepam;
- 66 Remimazolam.
- 67 Temazepam;
- 68 Tetrazepam;
- 69 Triazolam;
- 70 Xylazine;
- 71 Zaleplon;
- 72 Zolpidem;
- 73 Zopiclone; and
- 74 Suvorexant ([(7R)-4-(5-chloro-1,3-benzoxazol-2-yl)-7-methyl-1,4-diazepan-1-yl] [5-
- 75 methyl-2-(2H-1,2,3-triazol-2-yl)phenyl]methanone).
- 76 <u>Zuranolone;</u>
- 77 (d) Any material, compound, mixture, or preparation which contains any quantity of
- 78 Fenfluramine and Dexfenfluramine.
- 79 (e) Stimulants.
- 80 Cathine (()-norpseudoephedrine);
- 81 Diethylpropion;
- 82 Fencamfamin;
- 83 Fenproporex;
- 84 Mazindol;
- 85 Mefenorex;
- 86 Modafinil;
- 87 Pemoline (including organometallic complexes and chelates thereof);
- 88 Phentermine;

89	Pipradrol;		
90	Serdexmethylphenidate;		
91	Sibutramine;		
92	SPA ((-)-1-dimethylamino-1,2-diphenylethane); and		
93	Eluxadoline (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-dimethylphenyl]-1-oxopropyl		
94	[(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic acid);		
95	(f) Other substances.		
96	Lorcaserin;		
97	Pentazocine;		
98	Butorphanol;		
99	Tramadol (2-[(dimethylamino)methyl]-1-(3-methoxyphenyl) cyclohexanol); and		
100	Amyl nitrite, butyl nitrite, isobutyl nitrite, and the other organic nitrites are controlled		
101	substances and no product containing these compounds as a significant component shall be		
102	possessed, bought, or sold other than pursuant to a bona fide prescription or for industrial or		
103	manufacturing purposes.		
	§60A-2-212. Schedule V.		

(a) Schedule V shall consist of the drugs and other substances, by whatever official name,
common or usual name, chemical name, or brand name designated, listed in this section. Unless
specifically excepted or unless listed in another schedule, any material, compound, mixture or
preparation which contains any quantity of the following substances, including their isomers,
esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of such
isomers, esters, ethers and salts is possible within the specific chemical designation.

7 (b) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, 8 mixture or preparation containing any of the following narcotic drugs or their salts calculated as the 9 free anhydrous base or alkaloid in limited quantities as set forth below, which shall include one or 10 more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the

- compound, mixture or preparation valuable medicinal qualities other than those possessed by the
 narcotic drug alone.
 Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
 Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams;
 Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams;
- Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine
 sulfate per dosage unit;
- 18 Not more than 100 milligrams of opium per 100 milliliters or per 100 grams; and
- Not more than 0.5 milligrams of difenoxin and not less than 25 micrograms of atropinesulfate per dosage unit.

21 (c) Stimulants:

- 22 Pyrovalerone.
- (d) Any compound, mixture, or preparation containing as its single active ingredient
 ephedrine, pseudoephedrine, or phenylpropanolamine, their salts or optical isomers, or salts of
 optical isomers except products which are for pediatric use primarily intended for administration to
 children under the age of 12: *Provided*, That neither the offenses set forth in section four hundred
 one, article four of this chapter, nor the penalties therein, shall be applicable to ephedrine,
 pseudoephedrine or phenylpropanolamine which shall be subject to the provisions of article ten of
 this chapter.
- 30 (e) Depressants:
- 31 Ezogabine [N-[2-amino-4-94-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester];
- 32 Ganaxolone (3α -hydroxy- 3β -methyl- 5α -pregnan-20-one);
- 33 Lacosamide [(R)-2-acetoamido- N -benzyl-3-methoxy-propionamide]; and
- 34 Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl] butanamide) (also referred to as
- 35 BRV; UCB-34714; Briviact).
- 36 (f) Other substances:

- 37 Gabapentin;
- 38 Pregabalin;
- 39 Cenobamate; and
- 40 Lasmiditan.

NOTE: The purpose of this bill is to clean-up errors identified in the code sections.

Strike-throughs indicate language that would be stricken from a heading or the present law and underscoring indicates new language that would be added.